



US009480929B2

(12) **United States Patent**
Weston

(10) **Patent No.:** **US 9,480,929 B2**
(45) **Date of Patent:** ***Nov. 1, 2016**

(54) **TOY INCORPORATING RFID TAG**

(56) **References Cited**

(71) Applicant: **MQ Gaming, LLC**, Irvine, CA (US)

U.S. PATENT DOCUMENTS

(72) Inventor: **Denise Chapman Weston**, Wakefield, RI (US)

973,105 A 10/1910 Chamberlain, Jr.
1,661,058 A 2/1928 Theremin

(Continued)

(73) Assignee: **MQ Gaming, LLC**, Irvine, CA (US)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

CN 1032246 4/1989
CN 2113224 U 2/1992

(Continued)

This patent is subject to a terminal disclaimer.

OTHER PUBLICATIONS

(21) Appl. No.: **15/076,388**

(22) Filed: **Mar. 21, 2016**

(65) **Prior Publication Data**

US 2016/0199747 A1 Jul. 14, 2016

“State of the Art and Future Trends in Distributed Systems and Ubiquitous Computing” written by Friedemann Mattern, published on or before Aug. 31, 2000 and printed from URL < <http://www.vs.inf.ethz.ch/publ/papers/DisSysUbiCompReport.pdf> >, 14 pages.*

(Continued)

Related U.S. Application Data

(63) Continuation of application No. 14/621,711, filed on Feb. 13, 2015, now Pat. No. 9,320,976, which is a continuation of application No. 14/226,127, filed on Mar. 26, 2014, now Pat. No. 8,961,260, which is a

(Continued)

(51) **Int. Cl.**

A63H 3/00 (2006.01)

A63H 3/36 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **A63H 3/36** (2013.01); **A63H 3/00** (2013.01);
A63H 3/02 (2013.01); **A63H 3/48** (2013.01);
A63H 2200/00 (2013.01)

(58) **Field of Classification Search**

CPC **A63F 2009/2489**; **G06K 7/086**; **A63H 3/36**;
A63H 3/02

See application file for complete search history.

Primary Examiner — Jason Skaarup

Assistant Examiner — Alex F. R. Rada, II


(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson & Bear, LLP

(57)

ABSTRACT

A playmate toy or similar children's toy is provided having associated wireless, batteryless ID tag that can be read from and/or written to using a radio-frequency communication protocol. The tag is mounted internally within a cavity of the toy and thereby provides wireless communication of stored information without requiring removal and reinsertion of the tag. In this manner, a stuffed animal or other toy can be quickly and easily identified non-invasively, without damaging the toy. Additional information (e.g., unique personality traits, special powers, skill levels, etc.) can also be stored on the ID tag, thus providing further personality enhancement, input/output programming, simulated intelligence and/or interactive gaming possibilities.

20 Claims, 20 Drawing Sheets



Related U.S. Application Data

continuation of application No. 12/355,489, filed on Jan. 16, 2009, now Pat. No. 8,753,165, which is a continuation of application No. 11/241,812, filed on Sep. 30, 2005, now Pat. No. 7,488,231, which is a continuation of application No. 10/045,582, filed on Oct. 22, 2001, now Pat. No. 7,066,781.

(60) Provisional application No. 60/241,893, filed on Oct. 20, 2000.

(51) **Int. Cl.**

A63H 3/48 (2006.01)

A63H 3/02 (2006.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,789,680	A	1/1931	Gwinnett	4,595,369	A	6/1986	Downs
2,001,366	A	5/1935	Mittelman	4,623,887	A	11/1986	Welles
2,752,725	A	7/1956	Unsworth	4,623,930	A	11/1986	Oshima
2,902,023	A	9/1959	Waller	4,627,620	A	12/1986	Yang
3,135,512	A	6/1964	Taylor	4,645,458	A	2/1987	Williams
3,336,030	A	8/1967	Martell et al.	4,672,374	A	6/1987	Desjardins
3,395,920	A	8/1968	Moe	4,678,450	A	7/1987	Scolari et al.
3,454,920	A	7/1969	Mehr	4,695,058	A	9/1987	Carter, III et al.
3,456,134	A	7/1969	Ko	4,695,953	A	9/1987	Blair et al.
3,468,533	A	9/1969	House, Jr.	4,699,379	A	10/1987	Chateau et al.
3,474,241	A	10/1969	Kuipers	4,739,128	A	4/1988	Grisham
D220,268	S	3/1971	Kliewer	4,750,733	A	6/1988	Foth
3,572,712	A	3/1971	Vick	4,761,540	A	8/1988	McGeorge
3,633,904	A	1/1972	Kojima	4,776,253	A	10/1988	Downes
3,660,648	A	5/1972	Kuipers	4,787,051	A	11/1988	Olson
3,707,055	A	12/1972	Pearce	4,816,810	A	3/1989	Moore
3,795,805	A	3/1974	Swanberg et al.	4,817,950	A	4/1989	Goo
3,843,127	A	10/1974	Lack	4,819,182	A	4/1989	King et al.
3,949,364	A	4/1976	Clark et al.	4,837,568	A	6/1989	Snaper et al.
3,949,679	A	4/1976	Barber	4,839,838	A	6/1989	LaBiche et al.
3,973,257	A	8/1976	Rowe	4,843,568	A	6/1989	Kreuger et al.
3,978,481	A	8/1976	Angwin et al.	4,849,655	A	7/1989	Bennett
3,997,156	A	12/1976	Barlow et al.	4,851,685	A	7/1989	Dubgen
4,009,619	A	3/1977	Snyman	4,858,390	A	8/1989	Kenig
4,038,876	A	8/1977	Morris	4,858,930	A	8/1989	Sato
4,055,341	A	10/1977	Martinez	4,862,165	A	8/1989	Gart
4,063,111	A	12/1977	Dobler et al.	4,882,717	A	11/1989	Hayakawa et al.
4,153,250	A	5/1979	Anthony	4,891,032	A	1/1990	Davis
4,166,406	A	9/1979	Maughmer	4,904,222	A	2/1990	Gastgeb et al.
4,171,737	A	10/1979	McLaughlin	4,910,677	A	3/1990	Remedio et al.
4,175,665	A	11/1979	Dogliotti	4,914,598	A	4/1990	Krogmann
4,205,785	A	6/1980	Stanley	4,918,293	A	4/1990	McGeorge
4,231,077	A	10/1980	Joyce et al.	4,924,358	A	5/1990	VonHeck
4,240,638	A	12/1980	Morrison et al.	4,932,917	A	6/1990	Klitsner
4,282,681	A	8/1981	McCaslin	4,957,291	A	9/1990	Mifflitt
4,287,765	A	9/1981	Kreft	4,960,275	A	10/1990	Magon
4,296,929	A	10/1981	Meyer et al.	4,961,369	A	10/1990	McGill
4,303,978	A	12/1981	Shaw	4,964,837	A	10/1990	Collier
4,318,245	A	3/1982	Stowell et al.	4,967,321	A	10/1990	Cimock
4,321,678	A	3/1982	Krogmann	4,969,647	A	11/1990	Mical et al.
4,325,199	A	4/1982	McEdwards	4,980,519	A	12/1990	Mathews
4,337,948	A	7/1982	Breslow	4,988,981	A	1/1991	Zimmerman et al.
4,342,985	A	8/1982	Desjardins	4,994,795	A	2/1991	MacKenzie
4,402,250	A	9/1983	Baasch	5,011,161	A	4/1991	Galphin
4,412,205	A	10/1983	Von Kemenczky	5,036,442	A	7/1991	Brown
4,425,488	A	1/1984	Moskin	RE33,662	E	8/1991	Blair et al.
4,443,866	A	4/1984	Burgiss	5,045,843	A	9/1991	Hansen
4,450,325	A	5/1984	Luque	5,048,831	A	9/1991	Sides
4,503,299	A	3/1985	Henrard	D320,624	S	10/1991	Taylor
4,514,600	A	4/1985	Lentz	5,058,480	A	10/1991	Suzuki et al.
4,514,798	A	4/1985	Lesche	5,059,958	A	10/1991	Jacobs et al.
4,540,176	A	9/1985	Baer	5,062,696	A	11/1991	Oshima
4,546,551	A	10/1985	Franks	5,068,645	A	11/1991	Drumm
4,558,604	A	12/1985	Auer	D322,242	S	12/1991	Cordell
4,561,299	A	12/1985	Orlando	5,076,584	A	12/1991	Openiano
4,575,621	A	3/1986	Dreifus	D325,225	S	4/1992	Adhida
4,578,674	A	3/1986	Baker et al.	5,114,155	A	5/1992	Tillery et al.
				5,114,344	A	5/1992	Fumagalli et al.
				5,124,938	A	6/1992	Algrain
				5,127,657	A	7/1992	Ikezawa et al.
				5,128,671	A	7/1992	Thomas, Jr.
				D328,463	S	8/1992	King et al.
				5,136,222	A	8/1992	Yamamoto
				5,138,154	A	8/1992	Hotelling
				5,145,446	A	9/1992	Kuo
				D331,058	S	11/1992	Morales
				5,166,502	A	11/1992	Rendleman
				5,170,002	A	12/1992	Suzuki et al.
				5,175,481	A	12/1992	Kanno
				5,177,311	A	1/1993	Suzuki et al.
				5,178,477	A	1/1993	Gambaro
				5,181,181	A	1/1993	Glynn
				5,184,830	A	2/1993	Okada et al.
				5,188,368	A	2/1993	Ryan
				5,190,285	A	3/1993	Levy et al.
				5,192,082	A	3/1993	Inoue et al.
				5,192,823	A	3/1993	Suzuki et al.
				5,194,006	A	3/1993	Zaenglein, Jr.
				5,194,048	A	3/1993	Briggs

(56)

References Cited

U.S. PATENT DOCUMENTS

5,202,844 A	4/1993	Kamio	5,482,510 A	1/1996	Ishii et al.
5,207,426 A	5/1993	Inoue et al.	5,484,355 A	1/1996	King
5,212,368 A	5/1993	Hara	5,485,171 A	1/1996	Copper et al.
5,213,327 A	5/1993	Kitaue	5,488,362 A	1/1996	Ullman et al.
5,223,698 A	6/1993	Kapur	5,490,058 A	2/1996	Yamasaki
5,231,568 A	7/1993	Cohen et al.	5,498,002 A	3/1996	Gechter
D338,242 S	8/1993	Cordell	5,502,486 A	3/1996	Ueda
5,232,223 A	8/1993	Dornbusch	5,506,605 A	4/1996	Paley
5,236,200 A	8/1993	McGregor et al.	5,509,806 A	4/1996	Ellsworth
5,247,651 A	9/1993	Clarisse	5,512,892 A	4/1996	Corballis et al.
D340,042 S	10/1993	Copper et al.	5,516,105 A	5/1996	Eisenbrey et al.
5,259,626 A	11/1993	Ho	5,517,183 A	5/1996	Bozeman
5,262,777 A	11/1993	Low et al.	5,523,800 A	6/1996	Dudek
D342,256 S	12/1993	Payne et al.	5,524,637 A	6/1996	Erickson
5,277,645 A	1/1994	Kelley et al.	5,526,022 A	6/1996	Donahue et al.
5,279,513 A	1/1994	Connelly	5,528,222 A *	6/1996	Moskowitz G06K 19/07718 29/825
5,280,744 A	1/1994	DeCarlo	5,528,265 A	6/1996	Harrison
D345,164 S	3/1994	Grae	5,531,443 A	7/1996	Cruz
5,290,964 A	3/1994	Hiyoshi et al.	5,533,933 A	7/1996	Garnjost et al.
5,292,124 A	3/1994	Carpenter	5,541,860 A	7/1996	Takei et al.
5,292,254 A	3/1994	Miller et al.	5,550,721 A	8/1996	Rapisarda
5,296,871 A	3/1994	Paley	5,551,701 A	9/1996	Bouton et al.
5,299,967 A	4/1994	Gilbert	5,554,033 A	9/1996	Bizzi et al.
5,307,325 A	4/1994	Scheiber	5,554,980 A	9/1996	Hashimoto et al.
5,310,192 A	5/1994	Miyake	5,561,543 A	10/1996	Ogawa
5,317,394 A	5/1994	Hale	5,563,628 A	10/1996	Stroop
5,319,548 A	6/1994	Germain	5,569,085 A	10/1996	Igarashi et al.
5,320,358 A	6/1994	Jones	D375,326 S	11/1996	Yokoi et al.
5,320,362 A	6/1994	Bear et al.	5,573,011 A	11/1996	Felsing
5,329,276 A	7/1994	Hirabayashi	5,574,479 A	11/1996	Odell
5,332,322 A	7/1994	Gambaro	5,579,025 A	11/1996	Itoh
5,339,095 A	8/1994	Redford	D376,826 S	12/1996	Ashida
D350,736 S	9/1994	Takahashi et al.	5,580,319 A	12/1996	Hamilton
D350,782 S	9/1994	Barr	5,581,484 A	12/1996	Prince
D351,430 S	10/1994	Barr	5,585,584 A	12/1996	Usa
5,354,057 A	10/1994	Pruitt et al.	5,586,767 A	12/1996	Bohland
5,356,343 A	10/1994	Lovetere	5,587,558 A	12/1996	Matsushima
5,357,267 A	10/1994	Inoue	5,587,740 A	12/1996	Brennan
5,359,321 A	10/1994	Ribic	5,594,465 A	1/1997	Poulachon
5,359,348 A	10/1994	Pilcher et al.	5,598,187 A	1/1997	Ide et al.
5,363,120 A	11/1994	Drumm	5,602,569 A	2/1997	Kato
5,365,214 A	11/1994	Angott et al.	5,603,658 A	2/1997	Cohen
5,366,229 A	11/1994	Suzuki	5,605,505 A	2/1997	Han
5,369,580 A	11/1994	Monji	5,606,343 A	2/1997	Tsuboyama
5,369,889 A	12/1994	Callaghan	5,611,731 A	3/1997	Bouton et al.
5,372,365 A	12/1994	McTeigue et al.	5,613,913 A	3/1997	Ikematsu et al.
5,373,857 A	12/1994	Travers et al.	5,615,132 A	3/1997	Horton
5,378,197 A	1/1995	Briggs	5,621,459 A	4/1997	Ueda
5,382,026 A	1/1995	Harvard et al.	5,623,581 A	4/1997	Attenberg
5,393,074 A	2/1995	Bear et al.	5,624,117 A	4/1997	Ohkubo et al.
5,396,227 A	3/1995	Carroll et al.	5,627,565 A	5/1997	Morishita et al.
5,396,265 A	3/1995	Ulrich et al.	5,629,981 A	5/1997	Nerlikar
5,403,238 A	4/1995	Baxter et al.	5,632,878 A	5/1997	Kitano
5,405,294 A	4/1995	Briggs	D379,832 S	6/1997	Ashida
5,411,269 A	5/1995	Thomas	5,636,994 A	6/1997	Tong
5,416,535 A	5/1995	Sato et al.	5,640,152 A	6/1997	Copper
5,421,575 A	6/1995	Triner	5,641,288 A	6/1997	Zzenglein, Jr.
5,421,590 A	6/1995	Robbins	5,642,931 A	7/1997	Gappelberg
5,422,956 A	6/1995	Wheaton	5,643,087 A	7/1997	Marcus et al.
5,429,361 A	7/1995	Raven et al.	5,645,077 A	7/1997	Foxlin
5,430,435 A	7/1995	Hoch	5,645,277 A	7/1997	Cheng
5,432,864 A	7/1995	Lu et al.	5,647,796 A	7/1997	Cohen
5,435,561 A	7/1995	Conley	5,649,867 A	7/1997	Briggs
5,435,569 A	7/1995	Zilliox	5,651,049 A	7/1997	Easterling et al.
D360,903 S	8/1995	Barr et al.	5,655,053 A	8/1997	Renie
5,439,199 A	8/1995	Briggs et al.	5,662,332 A	9/1997	Garfield
5,440,326 A	8/1995	Quinn	5,662,525 A	9/1997	Briggs
5,443,261 A	8/1995	Lee et al.	5,666,138 A	9/1997	Culver
5,452,893 A	9/1995	Faulk et al.	5,667,217 A	9/1997	Kelly et al.
5,453,053 A	9/1995	Danta et al.	5,667,220 A	9/1997	Cheng
5,453,758 A	9/1995	Sato	5,670,845 A	9/1997	Grant
D362,870 S	10/1995	Oikawa	5,670,988 A	9/1997	Tickle
5,459,489 A	10/1995	Redford	5,672,090 A	9/1997	Liu
5,469,194 A	11/1995	Clark et al.	5,674,128 A	10/1997	Holch et al.
5,481,957 A	1/1996	Paley	5,676,450 A	10/1997	Sink et al.
			5,676,673 A	10/1997	Ferre et al.
			5,679,004 A	10/1997	McGowan et al.
			5,682,181 A	10/1997	Nguyen et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,685,776 A	11/1997	Stambolic et al.	5,836,817 A	11/1998	Acres et al.
5,685,778 A	11/1997	Sheldon et al.	5,838,138 A	11/1998	Henty
5,694,340 A	12/1997	Kim	5,841,409 A	11/1998	Ishibashi et al.
5,698,784 A	12/1997	Hotelling et al.	D402,328 S	12/1998	Ashida
5,701,131 A	12/1997	Kuga	5,847,854 A	12/1998	Benson, Jr.
5,702,232 A	12/1997	Moore	5,850,624 A	12/1998	Gard et al.
5,702,305 A	12/1997	Norman et al.	5,851,149 A	12/1998	Xidos et al.
5,702,323 A	12/1997	Poulton	5,853,327 A	12/1998	Gilboa
5,703,623 A	12/1997	Hall et al.	5,853,332 A	12/1998	Briggs
5,716,216 A	2/1998	O'Loughlin et al.	5,854,622 A	12/1998	Brannon
5,716,281 A	2/1998	Dote	5,855,483 A	1/1999	Collins et al.
5,724,106 A	3/1998	Autry et al.	D405,071 S	2/1999	Gambaro
5,724,497 A	3/1998	San et al.	5,865,680 A	2/1999	Briggs
5,726,675 A	3/1998	Inoue	5,867,146 A	2/1999	Kim et al.
5,733,131 A	3/1998	Park	5,874,941 A	2/1999	Yamada
5,734,371 A	3/1998	Kaplan	5,875,257 A	2/1999	Marrin et al.
5,734,373 A	3/1998	Rosenberg	D407,071 S	3/1999	Keating
5,734,807 A	3/1998	Sumi	D407,761 S	4/1999	Barr
D393,884 S	4/1998	Hayami	5,893,562 A	4/1999	Spector
5,736,970 A	4/1998	Bozeman	5,897,437 A	4/1999	Nishiumi
5,739,811 A	4/1998	Rosenberg et al.	5,898,421 A	4/1999	Quinn
5,741,182 A	4/1998	Lipps et al.	5,900,867 A	5/1999	Schindler et al.
5,741,189 A	4/1998	Briggs	5,901,246 A	5/1999	Hoffberg et al.
5,742,233 A	4/1998	Hoffman et al.	5,902,968 A	5/1999	Sato et al.
5,742,331 A	4/1998	Uomori	5,906,542 A	5/1999	Neumann
5,745,226 A	4/1998	Gigioli	D410,909 S	6/1999	Tickle
D394,264 S	5/1998	Sakamoto et al.	5,908,996 A	6/1999	Litterst et al.
5,746,602 A	5/1998	Kikinis	5,911,634 A	6/1999	Nidata et al.
5,751,273 A	5/1998	Cohen	5,912,612 A	6/1999	DeVolpi
5,752,880 A	5/1998	Gabai et al.	5,913,019 A	6/1999	Attenberg
5,752,882 A	5/1998	Acres et al.	5,913,727 A	6/1999	Ahdoot
5,757,305 A	5/1998	Xydis	5,919,149 A	7/1999	Allum
5,757,354 A	5/1998	Kawamura	5,923,317 A	7/1999	Sayler et al.
5,757,360 A	5/1998	Nitta et al.	5,924,695 A	7/1999	Heykoop
D395,464 S	6/1998	Shiibashi et al.	5,926,780 A	7/1999	Fox et al.
5,764,224 A	6/1998	Lilja et al.	5,929,782 A	7/1999	Stark et al.
5,766,077 A	6/1998	Hongoi	5,929,841 A	7/1999	Fujii
5,769,719 A	6/1998	Hsu	5,929,848 A	7/1999	Albukerk et al.
5,770,533 A	6/1998	Franchi	D412,940 S	8/1999	Kato et al.
5,771,038 A	6/1998	Wang	5,931,739 A	8/1999	Layer et al.
5,772,508 A	6/1998	Sugita et al.	5,942,969 A	8/1999	Wicks
D396,468 S	7/1998	Schindler et al.	5,944,533 A	8/1999	Wood
5,775,998 A	7/1998	Ikematsu et al.	5,946,444 A	8/1999	Evans et al.
5,779,240 A	7/1998	Santella	5,947,789 A	9/1999	Chan
5,785,317 A	7/1998	Sasaki	5,947,868 A	9/1999	Dugan
5,785,592 A	7/1998	Jacobsen	5,955,713 A	9/1999	Titus
5,785,952 A	7/1998	Taylor et al.	5,955,988 A	9/1999	Blonstein
5,786,626 A *	7/1998	Brady G06K 19/07749 257/666	5,956,035 A	9/1999	Sciammarella
D397,162 S	8/1998	Yokoi et al.	5,957,779 A	9/1999	Larson
5,791,648 A	8/1998	Hohl	5,961,386 A	10/1999	Sawaguchi
5,794,081 A	8/1998	Itoh	5,963,136 A	10/1999	O'Brien
5,796,354 A	8/1998	Cartabiano et al.	5,964,660 A	10/1999	James et al.
5,803,740 A	9/1998	Gesink et al.	5,967,898 A	10/1999	Takasaka et al.
5,803,840 A	9/1998	Young	5,967,901 A	10/1999	Briggs
5,806,849 A	9/1998	Rutkowski	5,971,270 A	10/1999	Barna
5,807,284 A	9/1998	Foxlin	5,971,271 A	10/1999	Wynn et al.
5,810,666 A	9/1998	Mero et al.	5,973,757 A	10/1999	Aubuchon et al.
5,811,896 A	9/1998	Grad	5,977,951 A	11/1999	Danieli et al.
5,819,206 A	10/1998	Horton et al.	5,980,254 A	11/1999	Muehle et al.
5,820,462 A	10/1998	Yokoi et al.	5,982,352 A	11/1999	Pryor
5,820,471 A	10/1998	Briggs	5,982,356 A	11/1999	Akiyama
5,820,472 A	10/1998	Briggs	5,984,785 A	11/1999	Takeda et al.
5,821,859 A *	10/1998	Schrott G01V 15/00 235/493	5,984,788 A	11/1999	Lebensfeld et al.
5,822,713 A	10/1998	Profeta	5,986,570 A	11/1999	Black et al.
5,825,298 A	10/1998	Walter	5,986,644 A	11/1999	Herder
5,825,350 A	10/1998	Case, Jr. et al.	5,987,421 A	11/1999	Chuang
D400,885 S	11/1998	Goto	5,989,120 A	11/1999	Truchsess
5,830,065 A	11/1998	Sitrick	5,991,085 A	11/1999	Rallison et al.
5,831,553 A	11/1998	Lenssen et al.	5,991,693 A	11/1999	Zalewski
5,833,549 A	11/1998	Zur et al.	5,996,033 A	11/1999	Chiu-Hao
5,835,077 A	11/1998	Dao et al.	5,999,168 A	12/1999	Rosenberg
5,835,156 A	11/1998	Blonstein et al.	6,001,014 A	12/1999	Ogata
5,835,576 A	11/1998	Katz	6,001,015 A	12/1999	Nishiumi et al.
			6,002,394 A	12/1999	Schein
			6,009,458 A	12/1999	Hawkins et al.
			D419,199 S	1/2000	Cordell et al.
			D419,200 S	1/2000	Ashida
			6,010,406 A	1/2000	Kajikawa et al.
			6,011,526 A	1/2000	Toyoshima et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,012,980 A	1/2000	Yoshida et al.	6,190,174 B1	2/2001	Lam
6,012,984 A	1/2000	Roseman	6,191,774 B1	2/2001	Schena et al.
6,013,007 A	1/2000	Root et al.	6,196,893 B1	3/2001	Casola et al.
6,016,144 A	1/2000	Blonstein	6,198,295 B1	3/2001	Hill
6,019,680 A	2/2000	Cheng	6,198,470 B1	3/2001	Agam et al.
6,020,876 A	2/2000	Rosenberg	6,198,471 B1	3/2001	Cook
6,024,647 A	2/2000	Bennett et al.	6,200,216 B1	3/2001	Peppel
6,024,675 A	2/2000	Kashiwaguchi	6,200,219 B1	3/2001	Rudell et al.
6,025,830 A	2/2000	Cohen	6,200,253 B1	3/2001	Nishiumi
6,037,882 A	3/2000	Levy	6,201,554 B1	3/2001	Lands
6,044,297 A	3/2000	Sheldon	6,206,745 B1	3/2001	Gabai et al.
6,049,823 A	4/2000	Hwang	6,206,782 B1	3/2001	Walker et al.
6,052,083 A	4/2000	Wilson	6,210,287 B1	4/2001	Briggs
6,057,788 A	5/2000	Cummings	6,211,861 B1	4/2001	Rosenberg et al.
6,058,342 A	5/2000	Orbach	6,214,155 B1	4/2001	Leighton
6,059,576 A	5/2000	Brann	6,217,450 B1	4/2001	Meredith
6,060,847 A	5/2000	Hettema et al.	6,217,478 B1	4/2001	Vohmann et al.
6,066,075 A	5/2000	Poulton	6,220,171 B1	4/2001	Hettema et al.
6,069,594 A	5/2000	Barnes et al.	6,220,964 B1	4/2001	Miyamoto
6,072,467 A	6/2000	Walker	6,220,965 B1	4/2001	Hanna et al.
6,072,470 A	6/2000	Ishigaki	6,222,522 B1	4/2001	Mathews
6,075,443 A	6/2000	Schepps et al.	D442,998 S	5/2001	Ashida
6,075,575 A	6/2000	Schein et al.	6,224,486 B1	5/2001	Walker et al.
6,076,734 A	6/2000	Dougherty et al.	6,224,491 B1	5/2001	Hiroimi et al.
6,077,106 A	6/2000	Mish	6,225,987 B1	5/2001	Matsuda
6,078,789 A	6/2000	Bodenmann	6,226,534 B1	5/2001	Aizawa
6,079,982 A	6/2000	Meador	6,227,966 B1	5/2001	Yokoi
6,080,063 A	6/2000	Khosla	6,227,974 B1	5/2001	Eilat et al.
6,081,819 A	6/2000	Ogino	6,231,451 B1	5/2001	Briggs
6,084,315 A	7/2000	Schmitt	6,234,803 B1	5/2001	Watkins
6,084,577 A	7/2000	Sato et al.	6,238,289 B1	5/2001	Sobota et al.
6,085,805 A	7/2000	Bates	6,238,291 B1	5/2001	Fujimoto et al.
6,087,950 A	7/2000	Capan	6,239,806 B1	5/2001	Nishiumi et al.
6,089,987 A	7/2000	Briggs	RE37,220 E	6/2001	Rapisarda et al.
6,091,342 A	7/2000	Janesch et al.	6,241,611 B1	6/2001	Takeda et al.
D429,718 S	8/2000	Rudolph	6,243,491 B1	6/2001	Andersson
6,095,926 A	8/2000	Hettema et al.	6,243,658 B1	6/2001	Raby
6,102,406 A	8/2000	Miles et al.	6,244,987 B1	6/2001	Ohsuga et al.
6,110,000 A	8/2000	Ting	6,245,014 B1	6/2001	Brainard et al.
6,110,039 A	8/2000	Oh	6,248,019 B1	6/2001	Mudie et al.
6,110,041 A	8/2000	Walker et al.	6,254,101 B1	7/2001	Young
6,115,028 A	9/2000	Balakrishnan	6,254,394 B1	7/2001	Draper et al.
6,127,928 A	10/2000	Issacman et al.	6,261,180 B1	7/2001	Lebensfeld et al.
6,127,990 A	10/2000	Zwern	6,264,202 B1	7/2001	Briggs
6,129,549 A	10/2000	Thompson	6,264,558 B1	7/2001	Nishiumi et al.
6,132,318 A	10/2000	Briggs	6,265,984 B1	7/2001	Molinaroli
6,137,457 A	10/2000	Tokuhashi et al.	6,267,673 B1	7/2001	Miyamoto et al.
D433,381 S	11/2000	Talesfore	6,273,425 B1	8/2001	Westfall et al.
6,142,870 A	11/2000	Wada	6,273,819 B1	8/2001	Strauss et al.
6,142,876 A	11/2000	Cumbers	6,276,353 B1	8/2001	Briggs et al.
6,144,367 A	11/2000	Berstis	6,280,327 B1	8/2001	Leifer et al.
6,146,278 A	11/2000	Kobayashi	6,280,328 B1	8/2001	Holch et al.
6,148,100 A	11/2000	Anderson et al.	6,283,862 B1	9/2001	Richter
6,149,490 A	11/2000	Hampton	6,283,871 B1	9/2001	Briggs
6,150,947 A	11/2000	Shima	6,287,200 B1	9/2001	Sharma
6,154,723 A	11/2000	Cox et al.	6,290,565 B1	9/2001	Galyean, III et al.
6,155,926 A	12/2000	Miyamoto et al.	6,290,566 B1	9/2001	Gabai et al.
6,160,405 A	12/2000	Needle et al.	6,293,684 B1	9/2001	Riblett
6,160,540 A	12/2000	Fishkin et al.	6,297,751 B1	10/2001	Fadavi-Ardekani
6,160,986 A	12/2000	Gabai et al.	6,301,534 B1	10/2001	McDermott
6,162,122 A	12/2000	Acres et al.	6,302,793 B1	10/2001	Fertitta, III et al.
6,162,123 A	12/2000	Woolston	6,302,796 B1	10/2001	Lebensfeld et al.
6,162,191 A	12/2000	Foxin	6,304,250 B1	10/2001	Yang
6,164,808 A	12/2000	Shibata	6,311,982 B1	11/2001	Lebensfeld et al.
6,171,190 B1	1/2001	Thanasack et al.	6,312,335 B1	11/2001	Tosaki et al.
6,174,242 B1	1/2001	Briggs et al.	6,315,673 B1	11/2001	Kopera
6,176,837 B1	1/2001	Foxlin	6,320,495 B1	11/2001	Sporgis
6,181,253 B1	1/2001	Eschenbach et al.	6,322,365 B1	11/2001	Shechter et al.
6,181,329 B1	1/2001	Stork et al.	6,323,614 B1	11/2001	Palaxxolo
6,183,364 B1	2/2001	Trovato	6,323,654 B1	11/2001	Needle
6,183,365 B1	2/2001	Tomomura et al.	6,325,718 B1	12/2001	Nishiumi et al.
6,184,847 B1	2/2001	Fateh et al.	6,328,648 B1	12/2001	Walker et al.
6,184,862 B1	2/2001	Leiper	6,328,650 B1	12/2001	Fukawa et al.
6,184,863 B1	2/2001	Sibert et al.	6,329,648 B1	12/2001	Delatorre
6,186,902 B1	2/2001	Briggs	6,330,427 B1	12/2001	Tabachnik
			6,331,841 B1	12/2001	Tokuhashi
			6,331,856 B1	12/2001	VanHook
			6,332,840 B1	12/2001	Nishiumi et al.
			6,337,954 B1	1/2002	Soshi

(56)

References Cited

U.S. PATENT DOCUMENTS

6,342,010 B1	1/2002	Slifer	6,530,841 B2	3/2003	Bull et al.
6,346,047 B1	2/2002	Sobota	6,538,675 B2	3/2003	Aratani
6,347,993 B1	2/2002	Kondo et al.	D473,942 S	4/2003	Motoki et al.
6,347,998 B1	2/2002	Yoshitomi et al.	6,540,607 B2	4/2003	Mokris et al.
6,350,199 B1	2/2002	Williams et al.	6,540,611 B1	4/2003	Nagata
6,352,478 B1	3/2002	Gabai et al.	6,544,124 B2	4/2003	Ireland et al.
6,356,867 B1	3/2002	Gabai et al.	6,544,126 B2	4/2003	Sawano et al.
6,361,396 B1	3/2002	Snyder	6,545,611 B2	4/2003	Hayashi et al.
6,361,507 B1	3/2002	Foxlin	6,545,661 B1	4/2003	Goschy et al.
D456,410 S	4/2002	Ashida	6,551,165 B2	4/2003	Smirnov
6,364,735 B1	4/2002	Bristow et al.	6,551,188 B2	4/2003	Toyama et al.
6,368,177 B1	4/2002	Gabai et al.	6,554,707 B1	4/2003	Sinclair et al.
6,368,217 B2	4/2002	Kanno	6,554,781 B1	4/2003	Carter et al.
6,369,794 B1	4/2002	Sakurai et al.	D474,763 S	5/2003	Tozaki et al.
6,369,908 B1	4/2002	Frey et al.	6,558,225 B1	5/2003	Rehkemper et al.
6,371,375 B1	4/2002	Ackley et al.	6,560,511 B1	5/2003	Yokoo et al.
6,371,853 B1	4/2002	Borta	6,561,049 B2	5/2003	Akiyama et al.
6,375,566 B1	4/2002	Yamada	6,565,438 B2	5/2003	Ogino
6,375,569 B1	4/2002	Acres	6,565,444 B2	5/2003	Nagata et al.
6,375,572 B1	4/2002	Masuyama et al.	6,567,536 B2	5/2003	McNitt et al.
6,375,578 B1	4/2002	Briggs	6,569,023 B1	5/2003	Briggs
6,377,793 B1	4/2002	Jenkins	6,572,108 B1	6/2003	Bristow
6,377,906 B1	4/2002	Rowe	6,575,753 B2	6/2003	Rosa et al.
D456,854 S	5/2002	Ashida	6,577,350 B1	6/2003	Proehl
6,383,079 B1	5/2002	Takeda et al.	6,579,098 B2	6/2003	Shechter
6,386,538 B1	5/2002	Mejia	6,582,299 B1	6/2003	Matsuyama et al.
6,392,613 B1	5/2002	Goto	6,582,380 B2	6/2003	Kazlausky et al.
6,394,904 B1	5/2002	Stalker	6,583,783 B1	6/2003	Dietrich
6,400,480 B1	6/2002	Thomas	6,585,596 B1	7/2003	Leifer et al.
6,400,996 B1	6/2002	Hoffberg et al.	6,589,120 B1	7/2003	Takahashi
6,404,409 B1	6/2002	Solomon	6,590,536 B1	7/2003	Walton
6,409,379 B1	6/2002	Gabathuler et al.	6,591,677 B2	7/2003	Rothoff
6,409,604 B1	6/2002	Matsumo	6,592,461 B1	7/2003	Raviv et al.
6,409,687 B1	6/2002	Foxlin	6,595,863 B2	7/2003	Chamberlain et al.
D459,727 S	7/2002	Ashida	6,597,342 B1	7/2003	Haruta
D460,787 S	7/2002	Nishikawa	6,597,443 B2	7/2003	Boman
6,414,589 B1	7/2002	Angott et al.	6,598,978 B2	7/2003	Hasegawa
6,415,223 B1	7/2002	Lin et al.	6,599,194 B1	7/2003	Smith
6,421,056 B1	7/2002	Nishiumi et al.	6,605,038 B1	8/2003	Teller et al.
6,424,264 B1	7/2002	Giraladin et al.	6,607,123 B1	8/2003	Jolliffe et al.
6,424,333 B1	7/2002	Tremblay	6,608,563 B2	8/2003	Weston et al.
6,426,719 B1	7/2002	Nagareda	6,609,969 B1	8/2003	Luciano et al.
6,426,741 B1	7/2002	Goldsmith et al.	6,609,977 B1	8/2003	Shimizu
6,438,193 B1	8/2002	Ko et al.	6,616,452 B2	9/2003	Clark et al.
D462,683 S	9/2002	Ashida	6,616,535 B1	9/2003	Nishizaki
6,445,960 B1	9/2002	Borta	6,616,607 B2	9/2003	Hashimoto
6,452,494 B1	9/2002	Harrison	6,626,728 B2	9/2003	Holt
6,456,276 B1	9/2002	Park	6,628,257 B1	9/2003	Oka
D464,052 S	10/2002	Fletcher	6,629,019 B2	9/2003	Legge et al.
D464,950 S	10/2002	Fraquelli et al.	6,632,142 B2	10/2003	Keith
6,462,769 B1	10/2002	Trowbridge et al.	6,633,155 B1	10/2003	Liang
6,463,257 B1	10/2002	Wood	6,634,949 B1	10/2003	Briggs et al.
6,463,859 B1	10/2002	Ikezawa et al.	6,636,826 B1	10/2003	Abe et al.
6,466,198 B1	10/2002	Feinstein	6,641,482 B2	11/2003	Masuyama et al.
6,466,831 B1	10/2002	Shibata	6,642,837 B1	11/2003	Vigoda et al.
6,473,070 B2	10/2002	Mishra et al.	6,650,029 B1	11/2003	Johnston
6,473,713 B1	10/2002	McCall	6,650,313 B2	11/2003	Levine
6,474,159 B1	11/2002	Foxlin et al.	6,650,345 B1	11/2003	Saito
6,482,067 B1	11/2002	Pickens	6,651,268 B1	11/2003	Briggs
6,484,080 B2	11/2002	Breed	6,654,001 B1	11/2003	Su
6,490,409 B1	12/2002	Walker	6,672,962 B1	1/2004	Ozaki et al.
6,491,566 B2	12/2002	Peters	6,676,520 B2	1/2004	Nishiumi et al.
6,492,981 B1	12/2002	Stork et al.	6,676,524 B1	1/2004	Botzas
6,494,457 B2	12/2002	Conte et al.	6,677,990 B1	1/2004	Kawahara
6,496,122 B2	12/2002	Sampsell	6,681,629 B2	1/2004	Foxlin et al.
6,509,217 B1 *	1/2003	Reddy	6,682,074 B2	1/2004	Weston
		G06K 19/07749	6,682,351 B1	1/2004	Abraham-Fuchs et al.
		257/E21.209	6,684,062 B1	1/2004	Gosior et al.
6,512,511 B2	1/2003	Willner	D486,145 S	2/2004	Kaminski et al.
6,517,438 B2	2/2003	Tosaki	6,686,954 B1	2/2004	Kitaguchi
6,518,952 B1	2/2003	Leiper	6,692,170 B2	2/2004	Abir
6,525,660 B1	2/2003	Surintrspanont	6,693,622 B1	2/2004	Shahioian et al.
6,526,158 B1	2/2003	Goldberg	6,702,672 B1	3/2004	Angell et al.
6,527,638 B1	3/2003	Walker et al.	6,709,336 B2	3/2004	Siegel et al.
6,527,646 B1	3/2003	Briggs	6,712,692 B2	3/2004	Basson et al.
6,530,838 B2	3/2003	Ha et al.	6,716,102 B2	4/2004	Whitten et al.
			6,717,573 B1	4/2004	Shahioian et al.
			6,717,673 B1	4/2004	Janssen
			6,718,280 B2	4/2004	Hermann

(56)

References Cited

U.S. PATENT DOCUMENTS

6,725,107 B2	4/2004	MacPherson	6,921,332 B2	7/2005	Fukunaga
6,725,173 B2	4/2004	An	6,922,632 B2	7/2005	Foxlin
6,726,099 B2	4/2004	Becker et al.	6,924,787 B2	8/2005	Kramer et al.
D489,361 S	5/2004	Mori et al.	6,925,410 B2	8/2005	Narayanan
6,729,934 B1	5/2004	Driscoll et al.	6,929,543 B1	8/2005	Ueshima et al.
6,733,390 B2	5/2004	Walker et al.	6,929,548 B2	8/2005	Wang
6,736,009 B1	5/2004	Schwabe	6,932,698 B2	8/2005	Sprogis
6,739,874 B2	5/2004	Marcus et al.	6,932,706 B1	8/2005	Kaminkow
6,739,979 B2	5/2004	Tracy	6,933,861 B2	8/2005	Wang
D491,924 S	6/2004	Kaminski et al.	6,933,923 B2	8/2005	Feinstein
D492,285 S	6/2004	Ombao et al.	6,935,864 B2	8/2005	Shechter et al.
6,743,104 B1	6/2004	Ota et al.	6,935,952 B2	8/2005	Walker et al.
6,746,334 B1	6/2004	Barney	6,939,232 B2	9/2005	Tanaka et al.
6,747,562 B2	6/2004	Giraladin et al.	6,948,999 B2	9/2005	Chan
6,747,632 B2	6/2004	Howard	6,954,980 B2	10/2005	Song
6,747,690 B2	6/2004	Molgaard	6,955,606 B2	10/2005	Taho et al.
6,749,432 B2	6/2004	French et al.	6,956,564 B1	10/2005	Williams
6,752,719 B2	6/2004	Himoto et al.	6,965,374 B2	11/2005	Villet et al.
6,753,849 B1	6/2004	Curran et al.	6,966,775 B1	11/2005	Kendir et al.
6,753,888 B2	6/2004	Kamiwada	6,967,563 B2	11/2005	Bormaster
6,757,068 B2	6/2004	Foxlin	6,967,566 B2	11/2005	Weston et al.
6,757,446 B1	6/2004	Li	6,982,697 B2	1/2006	Wilson et al.
6,761,637 B2	7/2004	Weston et al.	6,983,219 B2	1/2006	Mantjarvi
6,765,553 B1	7/2004	Odamura	6,984,208 B2	1/2006	Zheng
D495,336 S	8/2004	Andre et al.	6,990,639 B2	1/2006	Wilson
6,770,863 B2	8/2004	Walley	6,993,451 B2	1/2006	Chang et al.
6,773,325 B1	8/2004	Mawle et al.	6,995,748 B2	2/2006	Gordon et al.
6,773,344 B1	8/2004	Gabai et al.	6,998,966 B2	2/2006	Pedersen
6,785,539 B2	8/2004	Hale	7,000,469 B2	2/2006	Foxlin et al.
6,786,877 B2	9/2004	Foxlin	7,002,591 B1	2/2006	Leather
6,796,177 B2	9/2004	Mori	7,004,847 B2	2/2006	Henry
6,796,908 B2	9/2004	Weston	7,005,985 B1	2/2006	Steeves
6,797,895 B2	9/2004	Lapstun et al.	7,029,400 B2	4/2006	Briggs
6,811,489 B1	11/2004	Shimizu	7,031,875 B2	4/2006	Ellenby et al.
6,811,491 B1	11/2004	Levenberg et al.	7,038,661 B2	5/2006	Wilson et al.
6,812,583 B2	11/2004	Cheung et al.	7,040,986 B2	5/2006	Koshima
6,812,881 B1	11/2004	Mullaly et al.	7,040,993 B1	5/2006	Lovitt
6,813,525 B2	11/2004	Reid	7,040,998 B2	5/2006	Jolliffe et al.
6,813,574 B1	11/2004	Yedur	7,052,391 B1	5/2006	Luciano, Jr.
6,813,584 B2	11/2004	Zhou et al.	7,055,101 B2	5/2006	Abbott et al.
6,816,151 B2	11/2004	Dellinger	7,056,221 B2	6/2006	Thirkettle et al.
6,821,204 B2	11/2004	Aonuma et al.	7,059,974 B1	6/2006	Golliffe et al.
6,821,206 B1	11/2004	Ishida et al.	7,066,781 B2	6/2006	Weston
6,835,135 B1	12/2004	Silverbrook et al.	D524,298 S	7/2006	Hedderich et al.
6,836,705 B2	12/2004	Hellman	7,081,033 B1	7/2006	Mawle
6,836,751 B2	12/2004	Paxton	7,081,051 B2	7/2006	Himoto et al.
6,836,971 B1	1/2005	Wang	7,086,645 B2	8/2006	Hardie
6,842,991 B2	1/2005	Levi	7,090,582 B2	8/2006	Danieli et al.
6,846,238 B2	1/2005	Wells	7,094,147 B2	8/2006	Nakata
6,850,221 B1	2/2005	Tickle	7,098,891 B1	8/2006	Pryor
6,850,844 B1	2/2005	Walters	7,098,894 B2	8/2006	Yang
6,852,032 B2	2/2005	Ishino	7,102,615 B2	9/2006	Marks
6,856,327 B2	2/2005	Choi	7,102,616 B1	9/2006	Sleator
D502,468 S	3/2005	Knight et al.	7,107,168 B2	9/2006	Oystol
6,868,738 B2	3/2005	Moscrip	D531,228 S	10/2006	Ashida et al.
6,872,139 B2	3/2005	Sato et al.	7,115,032 B2	10/2006	Cantu et al.
6,873,406 B1	3/2005	Hines	7,117,009 B2	10/2006	Wong et al.
D503,750 S	4/2005	Kit et al.	7,118,482 B2	10/2006	Ishihara et al.
6,878,066 B2	4/2005	Leifer	7,126,584 B1	10/2006	Nishiumi et al.
6,882,824 B2	4/2005	Wood	7,127,370 B2	10/2006	Kelly
D504,677 S	5/2005	Kaminski et al.	D531,585 S	11/2006	Weitgasser et al.
D505,424 S	5/2005	Ashida et al.	7,133,026 B2	11/2006	Horie et al.
6,890,262 B2	5/2005	Oishi	7,136,674 B2	11/2006	Yoshie et al.
6,891,469 B2	5/2005	Engellenner et al.	7,136,826 B2	11/2006	Alsafadi
6,891,526 B2	5/2005	Gombert	7,137,899 B2	11/2006	Hiei
6,894,686 B2	5/2005	Stamper et al.	7,139,983 B2	11/2006	Kelts
6,897,845 B2	5/2005	Ozawa	7,140,962 B2	11/2006	Okuda et al.
6,897,854 B2	5/2005	Cho	7,142,191 B2	11/2006	Idesawa et al.
6,902,483 B2	6/2005	Lin	7,145,551 B1	12/2006	Bathiche
6,903,725 B2	6/2005	Nacson	7,149,627 B2	12/2006	Ockerse
6,905,411 B2	6/2005	Nguyen et al.	7,154,475 B2	12/2006	Crew
6,906,700 B1	6/2005	Armstrong	7,155,604 B2	12/2006	Kawai
6,908,386 B2	6/2005	Suzuki et al.	7,158,116 B2	1/2007	Poltorak
6,908,388 B2	6/2005	Shimizu	7,158,118 B2	1/2007	Liberty
6,918,833 B2	7/2005	Emmerson et al.	7,160,196 B2	1/2007	Thirkettle et al.
			7,168,089 B2	1/2007	Nguyen et al.
			7,173,604 B2	2/2007	Marvit
			7,176,919 B2	2/2007	Drebin
			7,180,414 B2	2/2007	Nyfelt

(56)

References Cited

U.S. PATENT DOCUMENTS

7,180,503 B2	2/2007	Burr	7,627,451 B2	12/2009	Vock et al.
7,182,691 B1	2/2007	Schena	7,645,178 B1	1/2010	Trotto et al.
7,183,480 B2	2/2007	Nishitani et al.	7,662,015 B2	2/2010	Hui
7,184,059 B1	2/2007	Fouladi	7,663,509 B2	2/2010	Shen
D543,246 S	5/2007	Ashida et al.	7,674,184 B2	3/2010	Briggs et al.
7,220,220 B2	5/2007	Stubbs et al.	7,704,135 B2	4/2010	Harrison
7,223,173 B2	5/2007	Masuyama et al.	7,704,146 B2	4/2010	Ellis
7,225,101 B2	5/2007	Usuda et al.	7,727,090 B2	6/2010	Gant
7,231,063 B2	6/2007	Naimark	7,749,089 B1	7/2010	Briggs et al.
7,233,316 B2	6/2007	Smith et al.	7,774,155 B2	8/2010	Sato et al.
7,236,156 B2	6/2007	Liberty et al.	7,775,882 B2	8/2010	Kawamura et al.
7,239,301 B2	7/2007	Liberty et al.	7,775,884 B1	8/2010	McCauley
7,252,572 B2	8/2007	Wright et al.	7,789,741 B1	9/2010	Fields
7,253,800 B2	8/2007	Goldberg et al.	7,796,116 B2	9/2010	Salsman et al.
7,261,690 B2	8/2007	Teller et al.	7,828,295 B2	11/2010	Matsumoto et al.
7,262,760 B2	8/2007	Liberty	7,850,527 B2	12/2010	Barney et al.
RE39,818 E	9/2007	Slifer	7,878,905 B2	2/2011	Weston et al.
7,288,028 B2	10/2007	Rodriguez et al.	7,883,420 B2	2/2011	Bradbury
D556,201 S	11/2007	Ashida et al.	7,896,742 B2	3/2011	Weston et al.
7,291,014 B2	11/2007	Chung et al.	7,927,216 B2	4/2011	Ikeda
7,292,151 B2	11/2007	Ferguson et al.	7,942,745 B2	5/2011	Ikeda
7,297,059 B2	11/2007	Vancura et al.	7,989,971 B2	8/2011	Lemieux
7,301,527 B2	11/2007	Marvit	8,021,239 B2	9/2011	Weston et al.
7,301,648 B2	11/2007	Foxlin	8,025,573 B2	9/2011	Stenton et al.
D556,760 S	12/2007	Ashida et al.	8,033,901 B2	10/2011	Wood
7,307,617 B2	12/2007	Wilson et al.	8,089,458 B2	1/2012	Barney et al.
D559,847 S	1/2008	Ashida et al.	8,164,567 B1	4/2012	Barney et al.
D561,178 S	2/2008	Azuma	8,169,406 B2	5/2012	Barney et al.
7,331,857 B2	2/2008	MacIver	8,184,097 B1	5/2012	Barney et al.
7,335,134 B1	2/2008	LaVelle	8,206,223 B2	6/2012	Marans et al.
D563,948 S	3/2008	d'Hooore	8,226,493 B2	7/2012	Briggs et al.
7,337,965 B2	3/2008	Thirkettle et al.	8,248,367 B1	8/2012	Barney et al.
7,339,105 B2	3/2008	Eitaki	8,287,372 B2	10/2012	Hong et al.
7,345,670 B2	3/2008	Armstrong	8,287,373 B2	10/2012	Marks et al.
D567,243 S	4/2008	Ashida et al.	8,330,284 B2	12/2012	Weston et al.
7,359,121 B2	4/2008	French et al.	8,342,929 B2	1/2013	Briggs et al.
7,359,451 B2	4/2008	McKnight	8,368,648 B2	2/2013	Barney et al.
7,361,073 B2	4/2008	Martin	8,373,659 B2	2/2013	Barney et al.
RE40,324 E	5/2008	Crawford	8,384,668 B2	2/2013	Barney et al.
7,371,177 B2	5/2008	Ellis et al.	8,439,757 B2	5/2013	Hornsby et al.
7,379,566 B2	5/2008	Hildreth	8,469,766 B2	6/2013	Zheng
7,387,559 B2	6/2008	Sanchez-Castro et al.	8,475,275 B2	7/2013	Weston et al.
7,394,459 B2	7/2008	Bathiche et al.	8,491,389 B2	7/2013	Weston et al.
7,395,181 B2	7/2008	Foxlin	8,531,050 B2	9/2013	Barney et al.
7,398,151 B1	7/2008	Burrell et al.	8,535,153 B2	9/2013	Bradbury et al.
7,408,453 B2	8/2008	Breed	8,545,335 B2	10/2013	Fiegenger et al.
7,414,611 B2	8/2008	Liberty	8,550,916 B2	10/2013	Raynal
7,419,428 B2	9/2008	Rowe	8,602,857 B2	12/2013	Morichau-Beauchant et al.
7,424,388 B2	9/2008	Sato	8,608,535 B2	12/2013	Weston et al.
7,428,499 B1	9/2008	Philyaw	8,686,579 B2	4/2014	Barney et al.
7,435,179 B1	10/2008	Ford	8,702,515 B2	4/2014	Weston et al.
7,441,151 B2	10/2008	Whitten et al.	8,708,821 B2	4/2014	Barney et al.
7,442,108 B2	10/2008	Ganz	8,711,094 B2	4/2014	Barney et al.
7,445,550 B2	11/2008	Barney et al.	8,753,165 B2	6/2014	Weston
7,465,212 B2	12/2008	Ganz	8,758,136 B2	6/2014	Briggs et al.
7,488,231 B2	2/2009	Weston	8,790,180 B2	7/2014	Barney et al.
7,488,254 B2	2/2009	Himoto et al.	8,795,079 B2	8/2014	Penzias, Iii
7,489,299 B2	2/2009	Liberty et al.	8,814,688 B2	8/2014	Barney et al.
7,492,268 B2	2/2009	Ferguson et al.	8,827,810 B2	9/2014	Weston et al.
7,492,367 B2	2/2009	Mahajan et al.	8,834,271 B2	9/2014	Ikeda
7,500,917 B2	3/2009	Barney et al.	8,870,655 B2	10/2014	Ikeda
7,502,759 B2	3/2009	Hannigan et al.	8,888,576 B2	11/2014	Briggs et al.
7,519,537 B2	4/2009	Rosenberg	8,894,462 B2	11/2014	Leyland et al.
7,524,246 B2	4/2009	Briggs et al.	8,913,011 B2	12/2014	Barney et al.
7,535,456 B2	5/2009	Liberty et al.	8,915,785 B2	12/2014	Barney et al.
7,536,156 B2	5/2009	Tischer et al.	8,961,260 B2	2/2015	Weston
7,556,563 B2	7/2009	Ellis et al.	8,961,312 B2	2/2015	Barney et al.
7,564,426 B2	7/2009	Poor	9,039,533 B2	5/2015	Barney et al.
7,568,289 B2	8/2009	Burlingham et al.	9,138,650 B2	9/2015	Barney et al.
7,572,191 B2	8/2009	Weston et al.	9,149,717 B2	10/2015	Barney et al.
7,582,016 B2	9/2009	Suzuki	9,162,148 B2	10/2015	Barney et al.
7,596,466 B2	9/2009	Ohta	9,162,149 B2	10/2015	Weston et al.
7,614,958 B2	11/2009	Weston et al.	9,180,378 B2	11/2015	Reiche
7,623,115 B2	11/2009	Marks	9,186,585 B2	11/2015	Briggs et al.
7,627,139 B2	12/2009	Marks	9,272,206 B2	3/2016	Weston et al.
			9,320,976 B2	4/2016	Weston
			2001/0010514 A1	8/2001	Ishino
			2001/0015123 A1	8/2001	Nishitani et al.
			2001/0018361 A1	8/2001	Acres

(56)

References Cited

U.S. PATENT DOCUMENTS

2001/0021950	A1	9/2001	Hawley	2003/0216176	A1	11/2003	Shimizu
2001/0024973	A1	9/2001	Meredith	2003/0222851	A1	12/2003	Lai
2001/0031652	A1	10/2001	Gabai et al.	2003/0234914	A1	12/2003	Solomon
2001/0031662	A1	10/2001	Larian	2004/0028258	A1	2/2004	Naimark
2001/0039206	A1	11/2001	Peppel	2004/0034289	A1	2/2004	Teller et al.
2001/0040591	A1	11/2001	Abbott et al.	2004/0043806	A1	3/2004	Kirby et al.
2001/0049302	A1	12/2001	Hagiwara et al.	2004/0048666	A1	3/2004	Bagley
2001/0053980	A1*	12/2001	Suliman, Jr. G06Q 30/012 705/26.1	2004/0063480	A1	4/2004	Wang
2001/0054082	A1	12/2001	Rudolph et al.	2004/0070564	A1	4/2004	Dawson
2002/0005787	A1	1/2002	Gabai et al.	2004/0075650	A1	4/2004	Paul
2002/0024500	A1	2/2002	Howard	2004/0081313	A1	4/2004	McKnight et al.
2002/0024675	A1	2/2002	Foxlin	2004/0095317	A1	5/2004	Zhang
2002/0028071	A1	3/2002	Molgaard	2004/0102247	A1	5/2004	Smoot et al.
2002/0028710	A1	3/2002	Ishihara et al.	2004/0119693	A1	6/2004	Kaemmler
2002/0032067	A1	3/2002	Barney	2004/0121834	A1	6/2004	Libby et al.
2002/0036617	A1	3/2002	Pryor	2004/0134341	A1	7/2004	Sandoz
2002/0038267	A1	3/2002	Can et al.	2004/0140954	A1	7/2004	Faeth
2002/0052238	A1	5/2002	Muroi	2004/0143413	A1	7/2004	Oystol
2002/0058459	A1	5/2002	Holt	2004/0147317	A1	7/2004	Ito
2002/0068500	A1	6/2002	Gabai et al.	2004/0152499	A1	8/2004	Lind et al.
2002/0072418	A1	6/2002	Masuyama	2004/0152515	A1	8/2004	Wegmuller et al.
2002/0075335	A1	6/2002	Relimoto	2004/0152520	A1	8/2004	Shinoda
2002/0077180	A1	6/2002	Swanberg et al.	2004/0174287	A1	9/2004	Deak
2002/0077182	A1	6/2002	Swanberg et al.	2004/0193413	A1	9/2004	Wilson
2002/0090985	A1	7/2002	Tochner et al.	2004/0198158	A1	10/2004	Driscoll et al.
2002/0090992	A1	7/2002	Legge et al.	2004/0203638	A1	10/2004	Chan
2002/0098887	A1	7/2002	Himoto et al.	2004/0207597	A1	10/2004	Marks
2002/0103026	A1	8/2002	Himoto et al.	2004/0214642	A1	10/2004	Beck
2002/0107069	A1	8/2002	Ishino	2004/0218104	A1	11/2004	Smith
2002/0107591	A1	8/2002	Gabai et al.	2004/0222969	A1	11/2004	Buchenrieder
2002/0116615	A1	8/2002	Nguyen et al.	2004/0227725	A1	11/2004	Calarco
2002/0118147	A1	8/2002	Solomon	2004/0229693	A1	11/2004	Lind
2002/0123377	A1	9/2002	Shulman	2004/0229696	A1	11/2004	Beck
2002/0126026	A1	9/2002	Lee et al.	2004/0236453	A1	11/2004	Szoboszlay
2002/0128056	A1	9/2002	Kato	2004/0239626	A1	12/2004	Noguera
2002/0137427	A1	9/2002	Peters	2004/0252109	A1	12/2004	Trent et al.
2002/0137567	A1	9/2002	Cheng	2004/0254020	A1	12/2004	Dragusin
2002/0140745	A1	10/2002	Ellenby	2004/0259651	A1	12/2004	Storek
2002/0158751	A1	10/2002	Bormaster	2004/0268393	A1	12/2004	Hunleth
2002/0158843	A1	10/2002	Levine	2005/0017454	A1	1/2005	Endo et al.
2002/0183961	A1	12/2002	French et al.	2005/0020369	A1	1/2005	Davis
2003/0001016	A1	1/2003	Fraier	2005/0032582	A1	2/2005	Mahajan et al.
2003/0013513	A1	1/2003	Rowe	2005/0047621	A1	3/2005	Cranfill
2003/0022736	A1	1/2003	Cass	2005/0054457	A1	3/2005	Eyestone
2003/0027634	A1	2/2003	Matthews, III	2005/0059488	A1	3/2005	Larsen et al.
2003/0036425	A1	2/2003	Kaminkow et al.	2005/0059503	A1	3/2005	Briggs et al.
2003/0037075	A1	2/2003	Hannigan	2005/0060586	A1	3/2005	Burger et al.
2003/0038778	A1	2/2003	Noguera	2005/0076161	A1	4/2005	Albanna
2003/0040347	A1	2/2003	Roach et al.	2005/0085298	A1	4/2005	Woolston
2003/0052860	A1	3/2003	Park et al.	2005/0110751	A1	5/2005	Wilson et al.
2003/0057808	A1	3/2003	Lee et al.	2005/0116020	A1	6/2005	Smolucha et al.
2003/0060286	A1	3/2003	Walker et al.	2005/0125826	A1	6/2005	Hunleth
2003/0063068	A1	4/2003	Anton	2005/0127868	A1	6/2005	Calhoon et al.
2003/0064812	A1	4/2003	Rappaport et al.	2005/0130739	A1	6/2005	Argentar
2003/0069077	A1	4/2003	Korienek	2005/0134555	A1	6/2005	Liao
2003/0073505	A1	4/2003	Tracy	2005/0138851	A1	6/2005	Ingraselino
2003/0095101	A1	5/2003	Jou	2005/0156883	A1	7/2005	Wilson et al.
2003/0096652	A1	5/2003	Siegel et al.	2005/0162389	A1	7/2005	Obermeyer
2003/0107551	A1	6/2003	Dunker	2005/0164601	A1	7/2005	McEachen et al.
2003/0114233	A1	6/2003	Hiei	2005/0170889	A1	8/2005	Lum et al.
2003/0134679	A1	7/2003	Siegel et al.	2005/0172734	A1	8/2005	Alsio
2003/0144047	A1	7/2003	Sprogis	2005/0174324	A1	8/2005	Liberty
2003/0144056	A1	7/2003	Leifer et al.	2005/0176485	A1	8/2005	Ueshima
2003/0149803	A1	8/2003	Wilson et al.	2005/0179644	A1	8/2005	Alsio
2003/0166416	A1	9/2003	Ogata	2005/0202866	A1	9/2005	Luciano et al.
2003/0171145	A1	9/2003	Rowe	2005/0210418	A1	9/2005	Marvit
2003/0171190	A1	9/2003	Rice	2005/0210419	A1	9/2005	Kela
2003/0190967	A1	10/2003	Henry	2005/0212749	A1	9/2005	Marvit et al.
2003/0193572	A1	10/2003	Wilson et al.	2005/0212750	A1	9/2005	Marvit et al.
2003/0195037	A1	10/2003	Vuong et al.	2005/0212751	A1	9/2005	Marvit et al.
2003/0195041	A1	10/2003	McCauley	2005/0212752	A1	9/2005	Marvit et al.
2003/0195046	A1	10/2003	Bartsch	2005/0212753	A1	9/2005	Marvit et al.
2003/0204361	A1	10/2003	Townsend	2005/0212754	A1	9/2005	Marvit et al.
2003/0214259	A9	11/2003	Dowling et al.	2005/0212755	A1	9/2005	Marvit
				2005/0212756	A1	9/2005	Marvit et al.
				2005/0212757	A1	9/2005	Marvit et al.
				2005/0212758	A1	9/2005	Marvit et al.
				2005/0212759	A1	9/2005	Marvit et al.
				2005/0212760	A1	9/2005	Marvit et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2005/0212764	A1	9/2005	Toba	2008/0273011	A1	11/2008	Lin
2005/0212767	A1	9/2005	Marvit	2008/0278445	A1	11/2008	Sweetser
2005/0215295	A1	9/2005	Arneson	2009/0009294	A1	1/2009	Kupstas
2005/0215322	A1	9/2005	Himoto et al.	2009/0033621	A1	2/2009	Quinn
2005/0217525	A1	10/2005	McClure	2009/0137323	A1	5/2009	Fiegenger et al.
2005/0227579	A1	10/2005	Yamaguchi et al.	2009/0203446	A1	8/2009	Bradbury et al.
2005/0233808	A1	10/2005	Himoto et al.	2009/0215534	A1	8/2009	Wilson et al.
2005/0239548	A1	10/2005	Ueshima et al.	2009/0273560	A1	11/2009	Kalanithi et al.
2005/0243061	A1	11/2005	Liberty et al.	2009/0326851	A1	12/2009	Tanenhau
2005/0243062	A1	11/2005	Liberty	2010/0105475	A1	4/2010	Mikhailov
2005/0253806	A1	11/2005	Liberty et al.	2010/0144436	A1	6/2010	Marks et al.
2005/0256675	A1	11/2005	Kurata	2010/0289744	A1	11/2010	Cohen
2005/0277465	A1	12/2005	Whitten et al.	2011/0081969	A1	4/2011	Ikeda
2005/0278741	A1	12/2005	Robarts	2011/0177853	A1	7/2011	Ueshima
2006/0003843	A1	1/2006	Kobayashi et al.	2011/0190052	A1	8/2011	Takeda
2006/0007115	A1	1/2006	Furuhashi	2012/0295699	A1	11/2012	Reiche
2006/0009270	A1	1/2006	Kobayashi et al.	2012/0295703	A1	11/2012	Reiche et al.
2006/0028446	A1	2/2006	Liberty	2012/0295704	A1	11/2012	Reiche
2006/0040720	A1	2/2006	Harrison	2013/0116020	A1	5/2013	Barney et al.
2006/0046849	A1	3/2006	Kovacs	2013/0116051	A1	5/2013	Barney et al.
2006/0092133	A1	5/2006	Touma	2013/0196727	A1	8/2013	Barney et al.
2006/0094502	A1	5/2006	Katayama et al.	2014/0100029	A1	4/2014	Reiche et al.
2006/0122474	A1	6/2006	Teller et al.	2014/0323221	A1	10/2014	Ikeda
2006/0123146	A1	6/2006	Wu et al.	2014/0342831	A1	11/2014	Weston et al.
2006/0148563	A1	7/2006	Yang	2015/0038229	A1	2/2015	Reiche et al.
2006/0152487	A1	7/2006	Grunnet-Jepsen	2015/0094140	A1	4/2015	Barney et al.
2006/0152488	A1	7/2006	Salsman	2015/0165316	A1	6/2015	Barney et al.
2006/0152489	A1	7/2006	Sweetser	2015/0174479	A1	6/2015	Reiche et al.
2006/0178212	A1	8/2006	Penzias	2015/0251100	A1	9/2015	Barney et al.
2006/0205507	A1	9/2006	Ho	2015/0290545	A1	10/2015	Barney et al.
2006/0231794	A1	10/2006	Sakaguchi et al.	2015/0328556	A1	11/2015	Weston
2006/0246403	A1	11/2006	Monpouet et al.	2015/0360125	A1	12/2015	Barney et al.
2006/0252475	A1	11/2006	Zalewski et al.	2016/0030836	A1	2/2016	Barney et al.
2006/0252477	A1	11/2006	Zalewski et al.	2016/0067600	A1	3/2016	Barney et al.
2006/0256081	A1	11/2006	Zalewski et al.	2016/0144273	A1	5/2016	Barney et al.
2006/0258452	A1	11/2006	Hsu	2016/0184701	A1	6/2016	Weston et al.
2006/0264258	A1	11/2006	Zalewski et al.				
2006/0264260	A1	11/2006	Zalewski et al.				
2006/0267935	A1	11/2006	Corson				
2006/0273907	A1	12/2006	Heiman				
2006/0282873	A1	12/2006	Zalewski et al.				
2006/0284842	A1	12/2006	Poltorak				
2006/0287085	A1	12/2006	Mao				
2006/0287086	A1	12/2006	Zalewski et al.				
2006/0287087	A1	12/2006	Zalewski et al.				
2007/0015588	A1	1/2007	Matsumoto et al.				
2007/0021208	A1	1/2007	Mao et al.				
2007/0049374	A1	3/2007	Ikeda et al.				
2007/0050597	A1	3/2007	Ikeda				
2007/0052177	A1	3/2007	Ikeda et al.				
2007/0060391	A1	3/2007	Ikeda et al.				
2007/0066394	A1	3/2007	Ikeda et al.				
2007/0072680	A1	3/2007	Ikeda et al.				
2007/0082720	A1	4/2007	Bradbury et al.				
2007/0087837	A1	4/2007	Bradbury et al.				
2007/0087838	A1	4/2007	Bradbury et al.				
2007/0087839	A1	4/2007	Bradbury et al.				
2007/0091084	A1	4/2007	Ueshima et al.				
2007/0093170	A1	4/2007	Zheng				
2007/0093291	A1	4/2007	Hulvey				
2007/0093293	A1	4/2007	Osnato				
2007/0100696	A1	5/2007	Illingworth				
2007/0159362	A1	7/2007	Shen				
2007/0173705	A1	7/2007	Teller et al.				
2007/0252815	A1	11/2007	Kuo				
2007/0257884	A1	11/2007	Taira				
2007/0265075	A1	11/2007	Zalewski				
2007/0265076	A1	11/2007	Lin				
2007/0265088	A1	11/2007	Nakada et al.				
2008/0015017	A1	1/2008	Ashida et al.				
2008/0039202	A1	2/2008	Sawano et al.				
2008/0119270	A1	5/2008	Ohta				
2008/0121782	A1	5/2008	Hotelling et al.				
2008/0174550	A1	7/2008	Laurila				
2008/0216765	A1	9/2008	Kates				

FOREIGN PATENT DOCUMENTS

CN	1338961	3/2002
CN	1559644	1/2005
DE	3930581	3/1991
DE	19701374	7/1997
DE	19632273	2/1998
DE	19648487	6/1998
DE	19814254	10/1998
DE	19937307	2/2000
DE	10029173	1/2002
DE	10219198	11/2003
EP	0 264 782	A2 4/1988
EP	0 570 999	12/1988
EP	0 322 825	A2 7/1989
EP	0 695 565	A1 2/1996
EP	0 835 676	4/1998
EP	0 848 226	6/1998
EP	0 852 961	7/1998
EP	1 062 994	12/2000
EP	1 279 425	1/2003
EP	1 293 237	3/2003
EP	0 993 845	12/2005
FR	2547093	A1 12/1984
GB	2244546	12/1991
GB	2284478	6/1995
GB	2307133	5/1997
GB	2310481	8/1997
GB	2316482	2/1998
GB	2319374	5/1998
GB	2325558	A 11/1998
GB	2388418	11/2003
JP	62-14527	1/1987
JP	63-186687	8/1988
JP	03-210622	9/1991
JP	06-050758	2/1994
JP	6154422	6/1994
JP	06-198075	7/1994
JP	6190144	7/1994
JP	H0677387	10/1994
JP	06-308879	11/1994
JP	07-028591	1/1995

(56)

References Cited

FOREIGN PATENT DOCUMENTS

JP 07-044315 2/1995
 JP 07-107573 4/1995
 JP 07-115690 5/1995
 JP 07-146123 6/1995
 JP 07-200142 8/1995
 JP 07-262797 10/1995
 JP 07-302148 11/1995
 JP 07-318332 12/1995
 JP 08-095704 4/1996
 JP 08-106352 4/1996
 JP 08-111144 4/1996
 JP 08-114415 5/1996
 JP 08-122070 5/1996
 JP 08-152959 6/1996
 JP 08-191953 7/1996
 JP 08-211993 8/1996
 JP 08-221187 8/1996
 JP 08-305355 11/1996
 JP 08-335136 12/1996
 JP 09-034456 2/1997
 JP 09-149915 6/1997
 JP 09-164273 6/1997
 JP 09-225137 9/1997
 JP 09-230997 9/1997
 JP 09-237087 9/1997
 JP 09-274534 10/1997
 JP 09-319510 12/1997
 JP 10-021000 1/1998
 JP 10-033831 2/1998
 JP 10-043349 A 2/1998
 JP 10-099542 4/1998
 JP 10-154038 6/1998
 JP 10-235019 9/1998
 JP 10-254614 9/1998
 JP 11-053994 2/1999
 JP 11-099284 4/1999
 JP 2000-176150 6/2000
 JP 2000-208756 7/2000
 JP 2000-270237 9/2000
 JP 2000-300839 10/2000
 JP 2000-308756 11/2000
 JP 2000-325653 11/2000
 JP 2001-038052 2/2001
 JP 2001-058484 3/2001
 JP 2001-104643 4/2001
 JP U20009165 4/2001
 JP 2001-175412 6/2001
 JP 2001-251324 9/2001
 JP 2001-265521 9/2001
 JP 2001-306245 11/2001
 JP 2002-007057 1/2002
 JP 2002-062981 2/2002
 JP 2002-78969 3/2002
 JP 2002-082751 3/2002
 JP 2002-091692 3/2002
 JP 2002-126375 5/2002
 JP 2002-136694 5/2002
 JP 2002-153673 5/2002
 JP 2002-202843 7/2002
 JP 2002-224444 8/2002
 JP 2002-233665 8/2002
 JP 2002-298145 10/2002
 JP 2003-053038 2/2003
 JP 2003-140823 5/2003
 JP 2003-208263 7/2003
 JP 2003 236246 8/2003
 JP 2003-325974 11/2003
 JP 2004-062774 2/2004
 JP 2004-313429 11/2004
 JP 2004-313492 11/2004
 JP 2005-040493 2/2005
 JP 2005-063230 3/2005
 JP 2006-113019 4/2006
 JP 2006-136694 6/2006
 JP 2006-216569 8/2006

JP 2007-083024 4/2007
 JP 4043702 2/2008
 NL 9300171 8/1994
 RU 2077358 C1 4/1997
 RU 2125853 2/1999
 RU 2126161 2/1999
 WO WO 90/07961 7/1990
 WO WO 94/02931 3/1994
 WO WO 95/11730 A1 5/1995
 WO WO 96/05766 2/1996
 WO WO 96/14115 5/1996
 WO WO 96/14121 5/1996
 WO WO 97/09101 3/1997
 WO WO 97/12337 4/1997
 WO WO 97/17598 5/1997
 WO WO 97/20305 6/1997
 WO WO 97/28864 8/1997
 WO WO 97/32641 9/1997
 WO WO 98/11528 3/1998
 WO WO 98/36400 8/1998
 WO WO 99/58214 11/1999
 WO WO 00/33168 6/2000
 WO WO 00/35345 6/2000
 WO WO 00/61251 A1 10/2000
 WO WO 00/63874 10/2000
 WO WO 00/67863 11/2000
 WO WO 01/46916 A2 6/2001
 WO WO 01/87426 11/2001
 WO WO 01/91042 11/2001
 WO WO 02/17054 2/2002
 WO WO 02/34345 5/2002
 WO WO 02/47013 6/2002
 WO WO 03/015005 2/2003
 WO WO 03/043709 5/2003
 WO WO 03/044743 A2 5/2003
 WO WO 03/088147 10/2003
 WO WO 03/107260 12/2003
 WO WO 2004/039055 5/2004
 WO WO 2004/051391 6/2004
 WO WO 2004/087271 10/2004
 WO WO 2006/039339 4/2006
 WO WO 2006/101880 9/2006
 WO WO 2007/058996 5/2007
 WO WO 2007/120880 10/2007

OTHER PUBLICATIONS

“Kirby Tilt ‘n’ Tumble 2” <http://www.unseen64.net/2008/04/08/koro-koro-kirby-2-kirby-tilt-n-tumble-2-gc-unreleased/>, Apr. 8, 2008 (accessed on Jul. 29, 2011).

“Emerald Forest Toys” [online] [retrieved on Sep. 14, 2005], retrieved from Internet <URL:http://www.pathworks.net/print_eff.html>.

Complainants’ Petition for Review, dated Sep. 17, 2012.

Complainants’ Response to Commission’s Request for Statements on the Public Interest, dated Oct. 10, 2012.

Complainants’ Response to Respondents’ Petition for Review, dated Sep. 25, 2012.

Creative Kingdoms LLC v. ITC, The United States Court of Appeals for the Federal Circuit, No. 2014-1072, dated Dec. 19, 2014.

Expert Report of Branimir R. Vojcic, Ph.D. on Behalf of Complainants Creative Kingdoms, LLC and New Kingdoms, LLC dated Nov. 17, 2011.

Expert Report of Kenneth Holt on Behalf of Respondents Nintendo of America, Inc. and Nintendo Co., Ltd., dated Nov. 3, 2011.

Expert Report of Nathaniel Polish, Ph.D. on Behalf of Respondents Nintendo of America, Inc. and Nintendo Co., Ltd., dated Nov. 3, 2011.

IGN Article—Mad Catz Rumble Rod Controller, Aug. 20, 1999.

Initial Determination on Violation of Section 337 and Recommended Determination on Remedy and Bond, dated Aug. 31, 2012.

Marrin, Teresa, “Toward an Understanding of Musical Gesture: Mapping Expressive Intention with the Digital Baton,” Masters Thesis, Massachusetts Institute of Technology, Program in Media Arts and Sciences (1996).

(56)

References Cited**OTHER PUBLICATIONS**

- Paradiso, Joseph A., "The Brain Opera Technology: New Instruments and Gestural Sensors for Musical Interaction and Performance" (Nov. 1998) (electronic copy available at http://pubs.media.mit.edu/pubs/papers/98_3_JNMR_Brain_Opera.pdf).
- Petition of the Office of Unfair Import Investigations for Review-In-Part of the Final Initial Determination, dated Sep. 17, 2012.
- Pre-Hearing Statement of Complainants Creative Kingdoms, LLC and New Kingdoms, LLC, dated Jan. 13, 2012.
- Public Version of Commission Opinion from United States International Trade Commission, dated Oct. 28, 2013.
- Respondents Nintendo Co., Ltd. and Nintendo of America Inc.'s Contingent Petition for Review of Initial Determination, dated Sep. 17, 2012.
- Respondents Nintendo Co., Ltd. and Nintendo of America Inc.'s Objections and Supplemental Responses to Complainants Creative Kingdoms, LLC and New Kingdoms, LLC's Interrogatory Nos. 35, 44, 47, 53, and 78, dated Oct. 13, 2011.
- Respondents Nintendo Co., Ltd. and Nintendo of America Inc.'s Response to Complainants' and Staff's Petitions for Review, dated Sep. 25, 2012.
- Response of the Office of Unfair Import Investigations to the Petitions for Review, dated Sep. 25, 2012.
- Response to Office Action dated Sep. 18, 2009 for U.S. Appl. No. 11/404,844.
- Specification of the Bluetooth System—Core v1.0b, Dec. 1, 1999.
- Verplaetse, "Inertial Proprioceptive Devices: Self-Motion Sensing Toys and Tools," IBM Systems Journal, vol. 35, Nos. 3&4 (Sep. 1996).
- "At-home fishing", <http://www.virtualpet.com/vp/media/fishing/homef.jpg> (accessed on Jan. 14, 2010).
- "Coleco Vision: Super Action™ Controller Set," www.vintagecomputing.com/vp-content/images/retroscan/coleco_sac_1_large.jpg, (downloaded from Internet on Sep. 2, 2011; available at <http://www.vintagecomputing.com> on Sep. 4, 2006).
- "Controllers-Atari Space Age Joystic," AtariAge: Have You Played Atari Today? www.atariage.com/controller_page.html?SystemID=2600&ControllerID=12, Sep. 1, 2006.
- "Controllers-Booster Grip, AtariAge: Have You Played Atari Today?" www.atariage.com/controller_page.html?SystemID=2600&ControllerID=18, (accessed on Jul. 29, 2011; allegedly available as early as Sep. 1, 2006).
- "Electronic Plastic: BANDAI—Power Fishing" "Power Fishing Company: BANDAI," 1 page, <http://www.handhelden.com/Bandai/PowerFishing.html>, 1984 (accessed on Jul. 29, 2011).
- "Game Controller" Wikipedia, Jan. 5, 2005.
- "Get Bass," Videogame by Sega, The International Arcade Museum and the KLOV (accessed at http://www.arcade-museum.com/game_detail.php?game_id=7933 on Jul. 29, 2011).
- "Glove-based input interfaces" Cyberglove/Cyberforce, <http://www.angelfire.com/ca/7/mellott124/glove1.htm> (accessed on Jul. 29, 2011).
- "Imp Coexists With Your Mouse," Byte, p. 255, Jan. 1994.
- Kirby Tilt 'n' Tumble (GCN-GBA Spaceworld 2001, YouTube Video, uploaded by adonfy on Sep. 5, 2006 (accessed at <http://www.youtube.com/watch?v=5rLhlwp2iGk> on Sep. 7, 2011; digital copy of video available upon request).
- "MEMS enable smart golf clubs," Small Times, Jan. 6, 2005, accessed at <http://dpwsa.electroiq.com/index/display/semiconductors-article-display/269788/articles/small-times/consumer/2005/01/mems-enable-smart-golf-clubs.html> on Jul. 29, 2011.
- "Miacomet and Interact Announce Agreement to Launch Line of Reel Feel™ Sport Controllers", PR Newswire (May 13, 1999), accessed at http://www.thefreelibrary.com/_print/PrintArticle.aspx?id=54621351 on Sep. 7, 2011.
- "The N.I.C.E. Project," YouTube video uploaded by evltube on Nov. 20, 2007 (accessed at <http://www.youtube.com/watch?v=ihGXa21qLms> on Sep. 8, 2011; digital copy of video available upon request).
- "212 Series Encoders" HT12A/HT12E by HOLTEK—Product Specification, Apr. 2000.
- "212 Series of Decoders" HT12D/HT12F by HOLTEK—Product Specification, Nov. 2002.
- "ASCII Entertainment releases the Grip," ASCII Entertainment Software—Press News—Coming Soon Magazine, May 1997 (electronic version accessed at http://www.csoon.com/issue25/p_ascii4.htm on Sep. 6, 2011).
- "Enchanted Spell-Casting Sorcerers Wand" by Ken Holt as featured on www.inventionconnection.com online advertisement, Dec. 2002.
- "Interview with Pat Goschy, the 'Real' Nintendo Wii Inventor," YouTube video uploaded by agbulls on Jan. 14, 2008 (accessed at <http://www.youtube.com/watch?v=oKtZysYGdLE> on Feb. 11, 2011; digital copy of video available upon request).
- "Micro Tilt Switch" D6B by Omron® Product Specification, Jan. 2007.
- "Nintendo Wii Controller Invented by Americans: Midway Velocity Controller Technology Brief," YouTube Video presentation dated Jun. 28, 2000; uploaded by drjohnniefever on Sep. 8, 2007 (accessed at <http://www.youtube.com/watch?v=wjLhSrSxFNw> on Jun. 30, 2010; digital copy of video available upon request).
- "Raise High the 3D Roof Beam: Kids shape these PC games as they go along," by Anne Field, article as featured in Business Week 2001. (Nov. 26, 2001).
- "Sony PS2 Motion Controller 5 years ago (2004)," YouTube Video uploaded by rloot on Jul. 8, 2009 (accessed at <http://www.youtube.com/watch?v=JbSzmRt7HhQ&feature=related> on Sep. 6, 2011; digital copy of video available upon request).
- "The Big Ideas Behind Nintendo's Wii," Business Week, Nov. 16, 2006 (accessed at http://www.businessweek.com/technology/content/nov2006/tc20061116_750580.htm on Aug. 31, 2011).
- "The Magic Labs Conjure Wands" as featured on www.magic-lab.com Product Specification, Dec. 2002.
- "Tilt Switch" by Fuji & Co. as featured on www.fuji-piezo.com online advertisement, May 2001.
- "Toy Wand Manufacturer Selects MEMSIC Sensor: Magic Labs cuts costs with MEMSIC sensor" Press Release by MEMSIC, Inc. as featured on www.memsic.com, May 2002.
- "Wii Mailbag," IGN.com, Jan. 26, 2006 (accessed at <http://uk.wii.ign.com/mail/2006-01-26.html> on Aug. 31, 2011).
- Acar, et al., "Experimental evaluation and comparative analysis of commercial variable-capacitance MEMS accelerometers," Journal of Micromechanics and Microengineering, vol. 13 (1), pp. 634-645, May 2003.
- Achenbach, "Golf's New Measuring Stick," Golfweek, 1 page., Jun. 11, 2005.
- Act Labs, Miacomet Background, Jan. 27, 2001, http://web.archive.org/web/200101271753/http://www.act-labs.com/realfeel_background.htm, (accessed on Sep. 7, 2011).
- Agard, "Advances in Strapdown Inertial Systems," Agard Lecture Series No. 133, Advisory Group for Aerospace Research and Development, Neuilly-Sur-Seine (France) May 1984.
- Algrain, "Estimation of 3-D Angular Motion Using Gyroscopes and Linear Accelerometers," IEEE Transactions on Aerospace and Electronic Systems, vol. 27, No. 6, pp. 910-920, Nov. 1991.
- Algrain, et al., "Accelerometer Based Line-of-Sight Stabilization Approach for Pointing and Tracking System," Second IEEE Conference on Control Applications, Sep. 13-16, 1993 Vancouver, B.C., pp. 159-163 Sep. 13-16, 1993.
- Algrain, et al., "Interlaced Kalman Filtering of 3-D Angular Motion Based on Euler's Nonlinear Equations," IEEE Transactions on Aerospace and Electronic Systems, vol. 30, No. 1, Jan. 1994.
- Allen, et al., "A General Method for Comparing the Expected Performance of Tracing and Motion Capture Systems," {VRST}'05: Proceedings of the ACM Symposium on Virtual Reality Software and Technology, Nov. 7-9, 2005 Monterey, California Nov. 7-9, 2005.
- Allen, et al., "Tracking: Beyond 15 Minutes of Thought," SIG-GRAPH 2001 Course 11, Aug. 2001.
- Analog Devices "ADXL202E Low-Cost +/-2 g Dual-Axis Accelerometer with Duty Cycle Output" Data Sheet, Rev. A, Oct. 2000.
- Analog Devices "ADXL330 Small, Low Power, 3-Axis +/-2 g iMEMS Accelerometer" Data Sheet, Rev. PrA Oct. 2005.

(56)

References Cited

OTHER PUBLICATIONS

- Analog Devices "ADXL50 Monolithic Accelerometer with Signal Conditioning" Data Sheet Mar. 1996.
- Analog Devices "ADXRS150±150°/s Single Chip Yaw Rate Gyro with Signal Conditioning" Data Sheet, Rev. B, Mar. 2004.
- Analog Devices "ADXRS401 ±75°/s Single Chip Yaw Rate Gyro with Signal Conditioning" Data Sheet, Rev. O, Jul. 2004.
- Analog Devices "MicroConverter®, Multichannel 12-Bit ADC with Embedded Flash MCU, ADuC812" Data Sheet (Feb. 2003), available at http://www.analog.com/static/imported-files/data_sheets/ADUC812.pdf.
- Analog Devices, "ADXL150/ADXL250, ±5g to ±50g, Low Noise, Low Power, Single/Dual Axis iMEMS® Accelerometers," Data Sheet, Rev. 0 (Apr. 1998).
- Ang, et al., "Design and Implementation of Active Error Canceling in Hand-held Microsurgical Instrument," Paper presented at 2001 IEEE/RSJ International Conference on Intelligent Robots and Systems (Oct./Nov. 2001).
- Ang, et al., "Design of All-Accelerometer Inertial Measurement Unit for Tremor Sensing in Hand-held Microsurgical Instrument," Proceedings of the 2003 IEEE International Conference on Robotics & Automation, Sep. 14-19, 2003, Taipei, Taiwan, pp. 1781-1786, Sep. 14-19, 2003.
- Apostolyuk, Vladislav, "Theory and Design of Micromechanical Vibratory Gyroscopes," MEMS/NEMS Handbook, Springer, vol. 1, pp. 173-195 (May 2006).
- Ascension Technology, 6D Bird Class B Installation and Operation Guide, Apr. 30, 2003.
- ASCII, picture of one-handed controller, 2 pages, Feb. 6, 2006.
- Ator, "Image-Velocity Sensing with Parallel-Slit Reticles," Journal of the Optical Society of America, vol. 53, No. 12, pp. 1416-1422, Dec. 1963.
- Azarbayejani, et al., "Real-Time 3-D Tracking of the Human Body," M.I.T. Media Laboratory Perceptual Computing Section Technical Report No. 374, Appears in Proceedings of Image'Com 96, Bordeaux, France, May 1996.
- Azarbayejani, et al., "Visually Controlled Graphics," M.I.T. Media Laboratory Perceptual Computing Section Technical Report No. 374, Appears in IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 15, No. 6, pp. 602-605, Jun. 1993.
- Azuma et al., "Improving Static and Dynamic Registration in an Optical See-Through HMD," Paper Presented at SIGGRAPH '94 Annual Conference in Orlando, FL, Mar. 1994.
- Azuma, "Predictive Tracking for Augmented Reality," Ph.D. Dissertation, University of North Carolina at Chapel Hill, Department of Computer Science, Feb. 1995.
- Azuma, et al., "A Frequency-Domain Analysis of Head-Motion Prediction," Paper Presented at SIGGRAPH '95 Annual Conference in Los Angeles, CA, Feb. 1995.
- Azuma, et al., "A motion-stabilized outdoor augmented reality system," Proceedings of IEEE Virtual Reality '99, Houston, TX, Mar. 13-17, 1999, pp. 252-259.
- Azuma, et al., "Making Augmented Reality Work Outdoors Requires Hybrid Tracking," Proceedings of the International Workshop on Augmented Reality, San Francisco, CA, Nov. 1, 1998.
- Bachmann et al., "Inertial and Magnetic Posture Tracking for Inserting Humans into Networked Virtual Environments," Virtual Reality Software and Technology archive, Paper Presented at ACM Symposium on Virtual Reality Software and Technology in Banff, Alberta, Canada, Dec. 2000.
- Bachmann et al., "Orientation Tracking for Humans and Robots Using Inertial Sensors" Paper Presented at 199 International Symposium on Computational Intelligence in Robotics & Automation (CIRA '99), Mar. 1999.
- Bachmann, "Inertial and Magnetic Angle Tracking of Limb Segments for Inserting Humans into Synthetic Environments," Dissertation, Naval Postgraduate School, Monterey, CA (Dec. 2000).
- Badler, et al., "Multi-Dimensional Input Techniques and Articulated Figure Positioning by Multiple Constraints," Interactive 3D Graphics, Oct. 1986; pp. 151-169.
- Balakrishnan, "The Rockin' Mouse: Integral 3D Manipulation on a Plane," Published in Proceedings of 1997 ACM Conference on Human Factors in Computing Systems (CHI'97), pp. 311-318, Jun. 1997.
- Ballagas, et al., "iStuff: A Physical User Interface Toolkit for Ubiquitous Computer Environments," Paper presented at SIGCHI Conference on Human Factors in Computing Systems, Apr. 2003.
- Baraff, "An Introduction to Physically Based Modeling: Rigid Body Simulation I—Unconstrained Rigid Body Dynamics," SIGGRAPH 97 Course Notes, Robotics Institute, Carnegie Mellon University (Aug. 1997).
- Baudisch, et al., "Soap: a Pointing Device that Works in Mid-air," Proc. UIST'06, Oct. 15-18, 2006, Montreux, Switzerland (Oct. 2006).
- BBN Report No. 7661, "Virtual Environment Technology for Training (VETT)," The Virtual Environment and Teleoperator Research Consortium (VETREC), pp. III-A-27 to III-A-40 (Mar. 1992).
- Behringer, "Improving the Registration Precision by Visual Horizon Silhouette Matching," Paper presented at First IEEE Workshop on Augmented Reality (Feb. 1998).
- Behringer, "Registration for Outdoor Augmented Reality Applications Using Computer Vision Techniques and Hybrid Sensors," Paper presented at IEEE Virtual Reality (VR '99) Conference in Houston, TX (Mar. 1999).
- Bei Gyrochip™ Model QRS11 Data Sheet, BEI Systron Donner Inertial Division, BEI Technologies, Inc., (Sep. 1998).
- Benbasat, "An Inertial Measurement Unit for User Interfaces," Massachusetts Institute of Technology Masters Thesis, (Sep. 2000).
- Benbasat, et al., "An Inertial Measurement Framework for Gesture Recognition and Applications," Paper Presented at International Gesture Workshop on Gesture and Sign Languages in Human-Computer Interaction (GW '01), London, UK (Sep. 2001).
- Bhatnagar, "Position trackers for Head Mounted Display systems: A survey" (Technical Report), University of North Carolina at Chapel Hill (Mar. 1993).
- Bianchi, "A Tailless Mouse, New cordless Computer Mouse Invented by ArcanaTech," Inc.com, Jun. 1, 1992 (accessed at <http://www.inc.com/magazine/19920601/4115.html> on Jun. 17, 2010).
- Bjork, Staffan et al., "Pirates! Using the Physical World as a Game Board," Reportedly presented as part of INTERACT 2001: 8th TC.13 IFIP International Conference on Human-Computer Interaction, Tokyo Japan (Jul. 9-13, 2001).
- Bluffing Your Way in Pokemon, Oct. 14, 2002, 7 pages.
- Bona, et al., "Optimum Reset of Ship's Inertial Navigation System," IEEE Transactions on Aerospace and Electronic Systems, Abstract only (1965) (accessed at <http://oai.dtic.mil/oai/oai?verb=getRecord&metadataPrefix=html&identifier=AD0908193> on Jun. 17, 2010).
- Borenstein, et al., "Where am I? Sensors and Methods for Mobile Robot Positioning" (Apr. 1996).
- Borovoy, R. , et al., "Things that Blink: Computationally Augmented Name Tags," IBM Systems Journal, vol. 35, Nos. 3 & 4, 1996; pp. 488-495 (May 1996).
- Borovoy, Richard et al., "Groupwear: Nametags That Tell About Relationships," Chi 98, Apr. 1998, pp. 329-330.
- Boser, "3-Axis Accelerometer with Differential Sense Electronics," Berkeley Sensor & Actuator Center, available at <http://www.eecs.berkeley.edu/about/boser/pdf/3axis.pdf> (Feb. 1997).
- Boser, "Accelerometer Design Example: Analog Devices XL-05/5," Berkeley Sensor & Actuator Center, available at <http://www.eecs.berkeley.edu/about/boser/pdf/xl05.pdf> (1996).
- Bowman, et al., "An Introduction to 3-D User Interface Design," MIT Presence, vol. 10, No. 1, pp. 96-108 (Feb. 2001).
- Briefs, (New & Improved), (Brief Article), PC Magazine, Oct. 26, 1993.
- Britton et al., "Making Nested Rotations Convenient for the User," SIGGRAPH '78 Proceedings of the 5th Annual Conference on Computer Graphics and Interactive Techniques, vol. 12, Issue 3, pp. 222-227 (Aug. 1978).
- Britton, "A Methodology for the Ergonomic Design of Interactive Computer Graphic Systems, and its Application to Crystallography" Ph.D. Dissertation, University of North Carolina at Chapel Hill, Dept. of Computer Science (1977).

(56)

References Cited

OTHER PUBLICATIONS

- Brownell, Richard, Review: Peripheral-GameCube-G3 Wireless Controller, gamesarefun.com, Jul. 13, 2003 (accessed at <http://www.gamesarefun.com/gamesdb/perireview.php?perireviewid=1> on Jul. 29, 2011).
- Buchanan, Levi, "Happy Birthday, Rumble Pak," IGN.com, Apr. 3, 2008 (accessed at <http://retro.ign.com/articles/864/864231p1.html> on Jul. 29, 2011).
- Business Wire, "Feature/Virtual reality glasses that interface to Sega channel, Time Warner, TCI; project announced concurrent with COMDEX," Nov. 14, 1994 (accessed at http://findarticles.com/p/articles/mi_m0EI_N/is_1994_Nov_14/ai_15923497/?tag=content;coll on Jul. 7, 2010).
- Business Wire, "Free-space 'Tilt' Game Controller for Sony Playstation Uses Scenix Chip; SX Series IC Processes Spatial Data in Real Time for On-Screen," Dec. 6, 1999 (accessed at http://findarticles.com/p/articles/mi_m0EI/is_1999_Dec_6/ai_58042965/?tag=content;coll on Jul. 7, 2010).
- Business Wire, "Logitech MAGELLAN 3D Controller," Apr. 14, 1997 (accessed at http://www.thefreelibrary.com/_/print/PrintArticle.aspx?id=19306114 on Feb. 10, 2011).
- Business Wire, "Mind Path Introduces GYROPOINT RF Wireless Remote," Jan. 27, 2000 (accessed at <http://www.allbusiness.com/company-activities-management/operations-office/6381880-1.html> on Jun. 17, 2010).
- Business Wire, "Pegasus' Wireless PenCell Writes on Thin Air with ART's Handwriting Recognition Solutions," Business Editors/High Tech Writers Telecom Israel 2000 Hall 29, Booth 19-20, Nov. 7, 2000 (accessed at <http://www.highbeam.com/doc/1G1-66658008.html> on Jun. 17, 2010).
- Business Wire, "RPI ships low-cost pro HMD Plus 3D Mouse and VR PC graphics card system for CES," Jan. 9, 1995 (accessed at <http://www.highbeam.com/doc/1G1-16009561.html> on Jun. 17, 2010).
- Business Wire, "InterSense Inc. Launches InertiaCube2—The World's Smallest Precision Orientation Sensor with Serial Interface," Aug. 14, 2001 (accessed at <http://www.highbeam.com/doc/1G1-77183067.html/print> on Sep. 7, 2011).
- Buxton et al., "A Study in Two-Handed Input," Proceedings of CHI '86, pp. 321-326 (1986) (accessed at <http://www.billbuxton.com/2hands.html> on Jul. 29, 2011).
- Buxton, Bill, "A Directory of Sources for Input Technologies" (last updated Apr. 19, 2001), <http://web.archive.org/web/20010604004849/http://www.billbuxton.com/InputSources.html> (accessed on Sep. 8, 2011).
- Buxton, Bill, "Human input/output devices," In M. Katz (ed.), Technology Forecast: 1995, Menlo Park, CA: Price Waterhouse World Firm Technology Center, pp. 49-65 (Sep. 1994).
- Canaday, "R67-26 The Lincoln Wand," IEEE Transactions on Electronic Computers, vol. EC-16, No. 2, p. 240 (Apr. 1967) (downloaded from IEEE Xplore on Jul. 7, 2010).
- Caruso, "Application of Magnetoresistive Sensors in Navigation Systems," Sensors and Actuators, SAE SP-1220, pp. 15-21 (Feb. 1997); text of article accessed at <http://www.ssec.honeywell.com/position-sensors/datasheets/sae.pdf>.
- Caruso, "Applications of Magnetic Sensors for Low Cost Compass Systems," Honeywell, SSEC, Paper presented at IEEE 2000 Position Location and Navigation Symposium (Mar. 2000), accessed at <http://www.ssec.honeywell.com/magnetic/datasheets/lowcost.pdf>.
- Caruso, et al., "A New Perspective on Magnetic Field Sensing," Sensors Magazine, Dec. 1, 1998 (accessed at <http://www.sensorsmag.com/sensors/electric-magnetic/a-new-perspective-magnetic-field-sensing-855> on Jun. 17, 2010).
- Caruso, et al., "Vehicle Detection and Compass Applications using AMR Magnetic Sensors", Paper presented at 1999 Sensors Expo in Baltimore, Maryland (May 1999), available at <http://masters.donntu.edu.ua/2007/kita/gerus/library/amr.pdf>.
- Chatfield, "Fundamentals of High Accuracy Inertial Navigation," vol. 174 Progress in Astronautics and Aeronautics, American Institute of Aeronautics and Astronautics, Inc. (1997).
- Cheng, "Direct interaction with Large-Scale Display Systems using Infrared Laser Tracking Devices," Paper presented at Australasian Symposium on Information Visualisation, Adelaide, Australia (Jan. 2003).
- Cho, et al., "Magic Wand: A Hand-Drawn Gesture Input Device in 3-D Space with Inertial Sensors," Proceedings of the 9th Intl Workshop on Frontiers in Handwriting Recognition (IWFHR-9 2004), IEEE (Aug. 2004).
- CNET News.com, "Nintendo Wii Swings Into Action," May 25, 2006 (accessed at http://news.cnet.com/2300-1043_3-6070295-4.html on Aug. 5, 2011).
- Cooke, et al., "NPSNET: Flight simulation dynamic modeling using quaternions," Presence, vol. 1, No. 4, pp. 404-420, (Jan. 25, 1994).
- Crecente, Brian, "Motion Gaming Gains Momentum," kotaku.com, Sep. 17, 2010 (accessed at <http://kotaku.com/5640867/motion-gaming-gains-momentum> on Aug. 31, 2011).
- CSIDC Winners—"Tablet-PC Classroom System Wins Design Competition," IEEE Computer Society Press, vol. 36, Issue 8, pp. 15-18, IEEE Computer Society, Aug. 2003.
- Cutrone, "Hot products: Gyration GyroPoint Desk, GyroPoint Pro gyroscope-controlled wired and wireless mice," Results from the Comdex Show Floor, Computer Reseller News, Dec. 4, 1995 (accessed from LexisNexis research database on Feb. 17, 2011; see pp. 8 and 9 of reference submitted herewith).
- Dichtburn, "Camera in Direct3D" Toymaker (Feb. 6, 2005), <http://web.archive.org/web/20050206032104/http://toymaker.info/games/html/camera.html> (accessed on Jul. 29, 2011).
- Digital ID Cards the next generation of 'smart' cards will have more than a one-track mind. Wall Street Journal, Jun. 25, 2001.
- Donelson, et al., "Spatial Management of Information", Proceedings of 1978 ACM SIGGRAPH Conference in Atlanta, Georgia, pp. 203-209 (Aug. 1977).
- Druin et al., Robots: Exploring New Technologies for Learning for Kids; 2000; Chapter One: To Mindstorms and Beyond; 27 pages (Jun. 2000).
- Drzymala, Robert E., et al., "A Feasibility Study Using a Stereo-Optical Camera System to Verify Gamma Knife Treatment Specification," Proceedings of 22nd Annual EMBS International Conference, Jul. 2000; pp. 1486-1489.
- Emura, et al., "Sensor Fusion based Measurement of Human Head Motion," 3rd IEEE International Workshop on Robot and Human Communication (Jul. 1994).
- Ewalt, David M., "Nintendo's Wii is a Revolution," Review, Forbes.com, Nov. 13, 2006 (accessed at http://www.forbes.com/2006/11/13/wii-review-ps3-tech-media-cx_de_1113wii.html on Jul. 29, 2011).
- Ferrin, "Survey of Helmet Tracking Technologies," Proc. SPIE vol. 1456, p. 86-94 (Apr. 1991).
- Fielder, Lauren "E3 2001: Nintendo unleashes GameCube software, a new Miyamoto game, and more," GameSpot, May 16, 2001 (accessed at http://www.gamespot.com/news/2761390/e3-2001-nintendo-unleashes-gamecube-software-a-new-miyamoto-game-and-more?tag-gallery_summary%3Bstory on Jul. 29, 2011).
- U.S. Appl. No. 09/520,148, filed Mar. 7, 2000 by Miriam Mawle.
- Foremski, T., "Remote Control Mouse Aims at Interactive TV" Electronics Weekly, Mar. 9, 1994.
- Foxlin, "Head-tracking Relative to a Moving Vehicle or Simulator Platform Using Differential Inertial Sensors," Proceedings of Helmet and Head-Mounted Displays V, SPIE vol. 4021, AeroSense Symposium, Orlando, FL, Apr. 24-25, 2000 (2000).
- Foxlin, "Inertial Head Tracker Sensor Fusion by a Complementary Separate-bias Kalman Filter," Proceedings of the IEEE 1996 Virtual Reality Annual International Symposium, pp. 185-194, 267 (Mar./Apr. 3, 1996).
- Foxlin, "Generalized architecture for simultaneous localization, auto-calibration, and map-building," IEEE/RSJ Conf. on Intelligent Robots and Systems (IROS 2002), Oct. 2-4, 2002, Lausanne, Switzerland (Oct. 2002).
- Foxlin, "Motion Tracking Requirements and Technologies," Chapter 8, from Handbook of Virtual Environment Technology, Kay Stanney, Ed., Lawrence Erlbaum Associates (Jan. 2002) (extended draft version available for download at <http://www.intersense.com/pages/44/119/>).

(56)

References Cited

OTHER PUBLICATIONS

- Foxlin, "Pedestrian Tracking with Shoe-Mounted Inertial Sensors," IEEE Computer Graphics and Applications, vol. 25, No. 6, pp. 38-46, (Nov./Dec. 2005).
- Foxlin, et al., "An Inertial Head-Orientation Tracker with Automatic Drift Compensation for Use with HMD's," Proceedings of the 1994 Virtual Reality Software and Technology Conference, Aug. 23-26, 1994, Singapore, pp. 159-173 (1994).
- Foxlin, et al., "Constellation™: A Wide-Range Wireless Motion-Tracking System for Augmented Reality and Virtual Set Applications," ACM SIGGRAPH 98, Orlando, Florida, Jul. 19-24, 1998 (1998).
- Foxlin, et al., "Miniature 6-DOF Inertial System for Tracking HMDs," SPIE vol. 3362, Helmet and Head-Mounted Displays III, AeroSense 98, Orlando, FL, Apr. 13-14, 1998 (1998).
- Foxlin, et al., "WearTrack: A Self-Referenced Head and Hand Tracker for Wearable Computers and Portable VR," Proceedings of International Symposium on Wearable Computers (ISWC 2000), Oct. 16-18, 2000, Atlanta, GA (2000).
- Foxlin, et al., "FlightTracker: A Novel Optical/Inertial Tracker for Cockpit Enhanced Vision, Symposium on Mixed and Augmented Reality," Proceedings of the 3rd IEEE/ACM International Symposium on Mixed and Augmented Reality (ISMAR 2004), Nov. 2-5, 2004, Washington, D.C. (2004).
- Foxlin, et al., "Miniaturization, Calibration & Accuracy Evaluation of a Hybrid Self-Tracker," IEEE/ACM International Symposium on Mixed and Augmented Reality (ISMAR 2003), Oct. 7-10, 2003, Tokyo, Japan (2003).
- Foxlin, et al., "VIS-Tracker: A Wearable Vision-Inertial Self-Tracker," IEEE VR2003, Mar. 22-26, 2003, Los Angeles, CA (2003).
- Frankle, "E3 2002: Roll O Rama," Roll-o-Rama GameCube Preview at IGN, May 23, 2002 (accessed at <http://cube.ign.com/articles/360/360662p1.html> on Sep. 7, 2011).
- Friedmann, et al., "Device Synchronization Using an Optimal Linear Filter," SI3D'92: Proceedings of the 1992 symposium on Interactive 3D graphics, pp. 57-62 (Mar./Apr. 1992).
- Friedmann, et al., "Synchronization in virtual realities," M.I.T. Media Lab Vision and Modeling Group Technical Report No. 157, Jan. 1991 to appear in Presence, vol. 1, No. 1, MIT Press, Cambridge, MA (1991).
- FrontSide Field Test, "Get This!" Golf Magazine, Jun. 2005, p. 36.
- Fuchs, Eric, "Inertial Head-Tracking," MS Thesis, Massachusetts Institute of Technology, Dept. of Electrical Engineering and Computer Science (Sep. 1993).
- Furniss, Maureen, "Motion Capture," posted at http://web.mit.edu/m-i-t/articles/index_furniss.html on Dec. 19, 1999; paper presented at the Media in Transition Conference at MIT on Oct. 8, 1999 (accessed on Sep. 8, 2011).
- gamecubicle.com News Article, Nintendo WaveBird Controller, http://www.gamecubicle.com/news-Nintendo_gamecube_wavebird_controller.htm, May 14, 2002 (accessed on Aug. 5, 2011).
- Gelmis, J., "Ready to Play, The Future Way," Buffalo News, Jul. 23, 1996 (accessed from LexisNexis research database on Sep. 6, 2011).
- Grimm, et al., "Real-Time Hybrid Pose Estimation from Vision and Inertial Data," Proceedings of the First Canadian Conference on Computer and Robot Vision (CRV'04), IEEE Computer Society (Apr. 2004).
- Gyration Ultra Cordless Optical Mouse, Setting Up Ultra Mouse, Gyration Quick Start Card part No. DL-00071-0001 Rev. A. Gyration, Inc., Jun. 2003.
- Gyration, "Gyration MicroGyro 100 Developer Kit Data Sheet," <http://web.archive.org/web/19980708122611/www.gyration.com/html/devkit.htm> (Jul. 1998).
- Gyration, Inc., GyroRemote GP240-01 Professional Series (Sep. 2003).
- Harada, et al., "Portable Absolute Orientation Estimation Device with Wireless Network Under Accelerated Situation" Proceedings of the 2004 IEEE International Conference on Robotics & Automation, New Orleans, LA, Apr. 2004, pp. 1412-1417 (Apr. 2004).
- Harada, et al., "Portable orientation estimation device based on accelerometers, magnetometers and gyroscope sensors for sensor network," Proceedings of IEEE International Conference on Multisensor Fusion and Integration for Intelligent Systems (MFI 2003), pp. 191-196, (Aug. 2003).
- Haykin, et al., "Adaptive Tracking of Linear Time-Variant Systems by Extended RLS Algorithms, IEEE Transactions on Signal Processing," vol. 45, No. 5, pp. 1118-1128 (May 1997).
- Heath, "Virtual Reality Resource Guide AI Expert," v9 n5 p. 32(14) (May 1994) (accessed at <http://ftp.hitl.washington.edu/scivw-ftp/commercial/VR-Resource-Guide.txt> on Jun. 17, 2010).
- HiBall-3100—"Wide-Area, High-Precision Tracker and 3D Digitizer," www.3rdtech.com/HiBall.htm (accessed on Jul. 29, 2011).
- Hinckley, "Synchronous Gestures for Multiple Persons and Computers," Paper presented at ACM UIST 2003 Symposium on User Interface Software & Technology in Vancouver, BC, Canada (Nov. 2003).
- Hinckley, et al., "A Survey of Design Issues in Spatial Input," Paper presented at 7th Annual ACM Symposium on User Interface Software and Technology (Nov. 1994).
- Hinckley, et al., "Sensing Techniques for Mobile Interaction," Proceedings of the 13th Annual ACM Symposium on User Interface Software and Technology (ACM UIST), San Diego, CA, (Nov. 2000).
- Hinckley, et al., "The VideoMouse: A Camera-Based Multi-Degree-of-Freedom Input Device" ACM UIST'99 Symposium on User Interface Software & Technology, CHI Letters vol. 1 No. 1, pp. 103-112 (Sep. 1999).
- Hinckley, Ken, "Haptic Issues for Virtual Manipulation," Ph.D. Dissertation University of Virginia, Dept. of Computer Science (Jan. 1997).
- Hind, Nicholas, "Cosmos: A composition for Live Electronic Instruments Controlled by the Radio Baton and Computer Keyboard (Radio Baton and Magic Glove)," A Final Project Submitted to the Department of Music of Stanford University in Partial Fulfillment of the Requirements for the Degree of Doctor Musical Arts/UMI Microform 9837187, Jan. 1998.
- Hoffman, Hunter G., "Physically Touching Virtual Objects Using Tactile Augmentation Enhances the Realism of Virtual Environments," IEEE Virtual Reality Annual International Symposium '98, Atlanta, Georgia, Mar. 14-18, 1998, 5 pages (Mar. 1998).
- Hogue, Andrew, "MARVIN: A Mobile Automatic Realtime visual and Inertial tracking system," Master's Thesis, York University (May 2003), available at <http://www.cse.yorku.ca/~hogue/marvin.pdf>.
- Holden, Maureen K. et al., "Use of Virtual Environments in Motor Learning and Rehabilitation," Department of Brain and Cognitive Sciences, Handbook of Virtual Environments: Design, Implementation, and Applications, Chap. 49, pp. 999-1026, Stanney (ed), Lawrence Erlbaum Associates (Jan. 2002).
- Immersion CyberGlove product, Immersion Corporation, <http://www.cyberglovesystem.com> (Jul. 2001).
- Immersion, "Immersion Ships New Wireless CyberGlove(R) II Hand Motion-Capture Glove; Animators, Designers, and Researchers Gain Enhanced Efficiency and Realism for Animation, Digital Prototyping and Virtual Reality Projects," Business Wire, Dec. 7, 2005 (available at <http://ir.immersion.com/releasedetail.cfm?releaseid=181278>).
- Interfax Press Release, "Tsinghua Tongfang Releases Unique Peripheral Hardware for 3D Gaming," Apr. 2002, 1 page. (Apr. 2002).
- Intersense, "InterSense Inc., The New Standard in Motion Tracking," Mar. 27, 2004, <http://web.archive.org/web/2004040500550Z/http://intersense.com> (accessed on May 19, 2009).
- Intersense, "InterSense Mobile Mixed Reality Demonstration," YouTube Video dated Oct. 2006 on opening screen; uploaded by IntersenseInc. on Mar. 14, 2008 (accessed at http://www.youtube.com/watch?v=daVdzGK0nUE&feature=channel_page on Sep. 8, 2011; digital copy of video available upon request).

(56)

References Cited

OTHER PUBLICATIONS

- Intersense, "IS-900 Precision Motion Trackers," Jun. 14, 2002, <http://web.archive.org/web/20020614110352/http://www.isense.com/products/prec/is900/> (accessed on Sep. 8, 2011).
- Intersense, Inc., "Comparison of Intersense IS-900 System and Optical Systems," Whitepaper, Jul. 12, 2004, available at <http://www.jazdtech.com/techdirect/research/InterSense-Inc.htm?contentSetId=60032939&supplierId=60018705>.
- Jacob, "Human-Computer Interaction—Input Devices," *ACM Computing Surveys*, vol. 28, No. 1, pp. 177-179 (Mar. 1996); link to text of article provided at <http://www.cs.tufts.edu/~jacob/papers/>.
- Ji, H. "Study on the Infrared Remote-Control Lamp-Gesture Device," *Yingyong Jiguang/Applied Laser Technology*, v. 17, n. 5, p. 225-227, Language: Chinese-Abstract only, Oct. 1997.
- Ju, et al., "The Challenges of Designing a User Interface for Consumer Interactive Television Consumer Electronics Digest of Technical Papers," IEEE 1994 International Conference on Volumes, Issue, Jun. 21-23, 1994 pp. 114-115 (Jun. 1994) (downloaded from IEEE Xplore on Jul. 13, 2010).
- Keir, et al., "Gesture-recognition with Nonreferenced Tracking," IEEE Symposium on 3D User Interfaces, pp. 151-158, Mar. 25-26, 2006.
- Kennedy, P.J. "Hand-held Data Input Device," IBM Technical Disclosure Bulletin, vol. 26, No. 11, pp. 5826-5827, Apr. 1984.
- Kessler, et al., "The Simple Virtual Environment Library: an Extensible Framework for Building VE Applications," *Presence*, MIT Press vol. 9, No. 2, pp. 187-208 (Apr. 2000).
- Kindratenko, "A Comparison of the Accuracy of an Electromagnetic and a Hybrid Ultrasound-Inertia Position Tracking System," *MIT Presence*, vol. 10, No. 6, pp. 657-663, Dec. 2001.
- Klein et al., "Tightly Integrated Sensor Fusion for Robust Visual Tracking," *British Machine Vision Computing*, vol. 22, No. 10, pp. 769-776, Feb. 2004.
- Kohlhase, "NASA Report, The Voyager Neptune travel guide," Jet Propulsion Laboratory Publication 89-24, (Jun. 1989).
- Kormos, D.W., et al., "Intraoperative, Real-Time 3-D Digitizer for Neurosurgical Treatment and Planning," IEEE (Feb. 1993) (Abstract only).
- Kosak, Dave, "Mind-Numbing New Interface Technologies," *Gamespy.com*, Feb. 1, 2005 (accessed at <http://www.gamespy.com/articles/584/584744p1.html> on Aug. 31, 2011).
- Kuipers, Jack B., "SPASYN—An Electromagnetic Relative Position and Orientation Tracking System," *IEEE Transactions on Instrumentation and Measurement*, vol. 29, No. 4, pp. 462-466 (Dec. 1980).
- Kunz, Andreas M. et al., "Design and Construction of a New Haptic Interface," *Proceedings of DETC '00, ASME 2000 Design Engineering Technical Conferences and Computers and Information in Engineering Conference*, Baltimore, Maryland, Sep. 10-13, 2000.
- La Scala, et al., "Design of an Extended Kalman Filter Frequency Tracker," *IEEE Transactions on Signal Processing*, vol. 44, No. 3 (Mar. 1996).
- Laughlin, et al., "Inertial Angular Rate Sensors: Theory and Applications," *Sensors Magazine* Oct. 1992.
- Lee, et al., "Innovative Estimation Method with Measurement Likelihood for all-Accelerometer Type Inertial Navigation System," *IEEE Transactions on Aerospace and Electronic Systems*, vol. 38, No. 1, Jan. 2002.
- Lee, et al., "Tilta-Pointer: the Free-Space Pointing Device," Princeton COS 436 Project (Fall 2004); retrieved from Google's cache of <http://www.milyehuang.com/cos436/project/specs.html> on May 27, 2011.
- Lee, et al., "Two-Dimensional Position Detection System with MEMS Accelerometer for Mouse Applications," *Design Automation Conference*, 2001, *Proceedings*, 2001 pp. 852-857, Jun. 2001.
- Leganchuk, et al., "Manual and Cognitive Benefits of Two-Handed Input: An Experimental Study," *ACM Transactions on Computer-Human Interaction*, vol. 5, No. 4, pp. 326-259, Dec. 1998.
- Liang, et al., "On Temporal-Spatial Realism in the Virtual Reality Environment," *ACM 1991 Symposium on User Interface Software and Technology* (Nov. 1991).
- Link, "Field-Qualified Silicon Accelerometers from 1 Milli g to 200,000 g," *Sensors*, Mar. 1993.
- Liu, et al., "Enhanced Fisher Linear Discriminant Models for Face Recognition," Paper presented at 14th International Conference on Pattern Recognition (ICPR'98), Queensland, Australia (Aug. 1998).
- Lobo, et al., "Vision and Inertial Sensor Cooperation Using Gravity as a Vertical Reference," *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 25, No. 12, pp. 1597-1608, Dec. 2003.
- Logitech, "Logitech Tracker—Virtual Reality Motion Tracker," downloaded from <http://www.vrealities.com/logitech.html> on Jun. 18, 2010.
- Logitech, Inc. "3D Mouse & Head Tracker Technical Reference Manual," Nov. 1992.
- Logitech's WingMan Cordless RumblePad Sets PC Gamers Free, Press Release, Sep. 2, 2001 (accessed at <http://www.logitech.com/en-us/172/1373> on Aug. 5, 2011).
- Louderback, J. "Nintendo Wii", *Reviews by PC Magazine*, Nov. 13, 2006 (accessed at <http://www.pcmag.com/article/print/193909> on Sep. 8, 2011).
- Luethi, P. et al., "Low Cost Inertial Navigation System" (2000); downloaded from <http://www.electronic-engineering.ch/study/ins/ins.html> on Jun. 18, 2010.
- Luinge, "Inertial sensing of human movement," Thesis, University of Twente, Twente University Press, (Oct. 2002).
- Luinge, et al., "Estimation of orientation with gyroscopes and accelerometers," *Proceedings of the First Joint BMES/EMBS Conference*, 1999, vol. 2, p. 844 (Oct. 1999).
- MacKenzie, et al., "A two-ball mouse affords three degrees of freedom," *Extended Abstracts of the CHI '97 Conference on Human Factors in Computing Systems*, pp. 303-304, New York: ACM (Oct. 1997).
- MacKinlay, "Rapid Controlled Movement Through a Virtual 3D Workspace," *ACM SIGGRAPH Computer Graphics archive*, vol. 24, No. 4, pp. 171-176 (Aug. 1990).
- MacLean, "Designing with Haptic Feedback", Paper presented at IEEE Robotics and Automation (ICRA '2000) Conference in San Francisco, CA, Apr. 22-28, 2000.
- Maggioni, C., "A novel gestural input device for virtual reality," *IEEE Virtual Reality Annual International Symposium* (Cat. No. 93CH3336-5), 118-24, Jan. 1993.
- Marks, Richard (Jan. 21, 2004) (Windows Media v7). EyeToy: A New Interface for Interactive Entertainment, Stanford University (accessed at <http://lang.stanford.edu/courses/ee380/2003-2004/040121-ee380-100.wmv> on Sep. 7, 2011; digital copy of video available upon request).
- Marrin, "Possibilities for the Digital Baton as a General Purpose Gestural Interface," *Late-Breaking/Short Talks*, Paper presented at CHI 97 Conference in Atlanta Georgia, Mar. 22-27, 1997 (accessed at <http://www.sigchi.org/chi97/proceedings/short-talk/tm.htm> on Aug. 5, 2011).
- Marrin, Teresa et al., "The Digital Baton: A Versatile Performance Instrument," Paper presented at International Computer Music Conference, Thessaloniki, Greece (Sep. 1997) (text of paper available at <http://quod.lib.umich.edu/cgi/p/pod/dod-idx?c=icmc;idno=bbp2372.1997.083>).
- Marti, et al., "Biopsy navigator: a smart haptic interface for interventional radiological gestures" *Proceedings of the Computer Assisted Radiology and Surgery (CARS 2003) Conference, International Congress Series*, vol. 1256, pp. 788-793 (Jun. 2003) (e-copy of text of paper available at <http://infoscience.epfl.ch/record/29966/files/CARS03-GM.pdf>).
- Masliah, "Measuring the Allocation of Control in 6 Degree of Freedom Docking Experiment," Paper presented at SIGCHI Conference on Human Factors in Computing Systems, The Hague, Netherlands (Apr. 2000).
- Merians, et al., "Virtual Reality-Augmented Rehabilitation for Patients Following Stroke," *Physical Therapy*, vol. 82, No. 9, Sep. 2002.

(56)

References Cited

OTHER PUBLICATIONS

- Merrill, "FlexiGesture: A sensor-rich real-time adaptive gesture and affordance learning platform for electronic music control," Thesis, Massachusetts Institute of Technology, Jun. 2004.
- Meyer, et al., "A Survey of Position Tracker," MIT Presence, vol. 1, No. 2, pp. 173-200, (Nov. 1992).
- Miller, Paul, "Exclusive shots of Goschy's prototype 'Wiimote' controllers," Engadget, Jan. 15, 2008 (accessed at <http://www.engadget.com/2008/01/15/exclusive-shots-of-goschys-prototype-wiimote-controllers/> on Aug. 31, 2011).
- Miller, Ross, "Joystiq interview: Patrick Goschy talks about Midway, tells us he 'made the Wii'," Joystiq.com, Jan. 16, 2008 (accessed at <http://www.joystiq.com/2008/01/16/joystiq-interview-patrick-goschy-talks-about-midway-tells-us-h/> on Aug. 31, 2011).
- Mizell, "Using Gravity to Estimate Accelerometer Orientation," Proceedings of the Seventh IEEE International Symposium on Wearable Computers (ISWC '03), IEEE Computer Society (Oct. 2003).
- Morgan, C., "Still chained to the overhead projector instead of the podium," (TV Interactive Corp's LaserMouse Remote Pro infrared mouse) (clipboard) (brief article) (product announcement) Government Computer News, Jun. 13, 1994.
- Morris, "Accelerometry—a technique for the measurement of human body movements," J Biomechanics vol. 6, pp. 729-736 (Nov. 1973).
- Moser, "Low Budget Inertial Navigation Platform (2000)," www.tmoser.ch/typo3/11.0.html (accessed on Jul. 29, 2011).
- Mulder, "Human movement tracking technology," Technical Report, NSERC Hand Centered Studies of Human Movement project, available through anonymous ftp in fas.sfu.ca/pub/cs/graphics/vmi/HMTT.pub.ps.Z, Burnab, B.C, Canada: Simon Fraser University (Jul. 1994).
- Myers, et al., "Interacting at a Distance: Measuring the Performance of Laser Pointers and Other Devices," CHI 2002, Apr. 2002.
- Naimark, et al., "Encoded LED System for Optical Trackers," Paper presented at Fourth IEEE and ACM International Symposium on Mixed and Augmented Reality (ISMAR 2005), Oct. 5-8, 2005, Vienna Austria (2005) (electronic version of text of paper available for download at <http://www.intersense.com/pages/44/129/>).
- Naimark, et al., "Circular Data Matrix Fiducial System and Robust Image Processing for a Wearable Vision-Inertial Self-Tracker," IEEE International Symposium on Mixed and Augmented Reality (ISMAR 2002), Darmstadt, Germany (Sep./Oct. 2002).
- Navarette, et al., "Eigenspace-based Recognition of Faces: Comparisons and a new Approach," Paper Presented at 11th International Conference on Image Analysis and Processing (Sep. 2001).
- New Strait Times Press Release, "Microsoft's New Titles," Mar. 1998, 1 page.
- News Article, "New Game Controllers Using Analog Devices' G-Force Tilt to be Featured at E3," Norwood, MA (May 10, 1999) (accessed at http://www.thefreelibrary.com/_/print/PrintArticle.aspx?id=54592268 on Jun. 17, 2010).
- Nintendo, Nintendo Game Boy Advance Wireless Adapter, Sep. 26, 2003.
- Nishiyama, "A Nonlinear Filter for Estimating a Sinusoidal Signal and its Parameters in White Noise: On the Case of a Single Sinusoid," IEEE Transactions on Signal Processing, vol. 45, No. 4, pp. 970-981 (Apr. 1997).
- Nishiyama, "Robust Estimation of a Single Complex Sinusoid in White Noise-H ∞ Filtering Approach," IEEE Transactions on Signal Processing, vol. 47, No. 10, pp. 2853-2856 (Oct. 1999).
- Odell, "An Optical Pointer for Infrared Remote Controllers," (1995) (downloaded from IEEE Xplore on Jul. 7, 2010).
- Ojeda, et al., "No GPS? No Problem!" University of Michigan Develops Award-Winning Personal Dead-Reckoning (PDR) System for Walking Users, available at http://www.engin.umich.edu/research/mrl/urpr/In_Press/P135.pdf, (2004 or later).
- Omelyan, "On the numerical integration of motion for rigid polyatomics: The modified quaternion approach" Computers in Physics, vol. 12 No. 1, pp. 97-103 (Jan./Feb. 1998).
- Ovaska, "Angular Acceleration Measurement: A Review," Paper presented at IEEE Instrumentation and Measurement Technology Conference, St. Paul, MN, May 18-21, 1998 (1998).
- Pai, et al., "The Tango: A Tangible Tangoreceptive Whole-Hand Interface," Paper presented at Joint Eurohaptics and IEEE Symposium on Haptic Interfaces for Virtual Environment and Teleoperator Systems, Pisa, Italy, Mar. 18-20, 2005 (2005).
- Pajama Sam: No Need to Hide When It's Dark Outside Infogames, Sep. 6, 2002.
- Paley, W. Bradford, "Interaction in 3D Graphics," SIGGRAPH Computer Graphics Newsletter, Col. 32, No. 4 (Nov. 1998) (accessed at <http://www.siggraph.org/publications/newsletter/v32n4/contributions/paley.html> on Aug. 2, 2011).
- Paradiso, et al., "Interactive Therapy with Instrumented Footwear," CHI 2004, Apr. 24-29, 2004, Vienna, Austria.
- Park, Adaptive control strategies for MEMS gyroscopes (Dissertation), Univ. Cal. Berkley (Dec. 2000).
- PC World, "The 20 Most Innovative Products of the Year," Dec. 27, 2006 (accessed at <http://www.pcworld.com/printable/article/id,128176/printable.html> on Aug. 2, 2011).
- Perry, Simon, "Nintendo to Launch Wireless Game Boy Adaptor," Digital Lifestyles, <http://digital-lifestyles.info/2003/09/26/Nintendo-to-launch-wireless-game-boy-adaptor/>, Sep. 26, 2003 (accessed on Jul. 29, 2011).
- Phillips, "Forward/Up Directional Incompatibilities During Cursor Placement Within Graphical User Interfaces," Ergonomics, vol. 48, No. 6, May 15, 2005.
- Phillips, "LPC2104/2105/2106, Single-chip 32-bit microcontrollers; 128 kB ISP/IAP Flash with 64 kB/32 kB/16 kB RAM," 32 pages, Dec. 22, 2004.
- Phillips, "Techwatch: On the Right Track: A unique optical tracking system gives users greater freedom to explore virtual worlds," Computer Graphics World, vol. 23, Issue 4 (Apr. 2000).
- Pierce, et al., "Image Plane Interaction Techniques in 3D Immersive Environments," Paper presented at 1997 symposium on Interactive 3D graphics, Providence, RI (Apr. 1997).
- Pilcher, "AirMouse Remote Controls," IEEE Conference on Consumer Electronics (Jun. 1992).
- Pique, "Semantics of Interactive Rotations," Interactive 3D Graphics, Proceedings of the 1986 workshop on Interactive 3D graphics, pp. 259-269 (Oct. 1986).
- Piyabongkarn, "The Development of a MEMS Gyroscope for Absolute Angle Measurement," Dissertation, Univ. Minnesota, Nov. 2004 (Abstract only).
- PowerGlove product Program Guide, Mattel, 1989 (Text of Program Guide provided from http://hiwaay.net/~lkseitz/cvtg/power_glove.shtml; the text was typed in by Lee K. Sietz; document created Aug. 25, 1988; accessed on Aug. 2, 2011).
- PR Newswire, "Five New Retailers to Carry Gyration's Gyropoint Point and Gyropoint Pro," Jul. 8, 1996 (accessed at http://www.thefreelibrary.com/_/print/PrintArticle.aspx?id=54592268 on Jun. 18, 2010).
- PR Newswire, "Three-Axis MEMS-based Accelerometer From STMicroelectronics Targets Handheld Terminals," Feb. 18, 2003 (accessed at http://www.thefreelibrary.com/_/print/PrintArticle.aspx?id=54592268 on Aug. 3, 2011).
- Pryor, et al., "A Reusable Software Architecture for Manual Controller Integration," IEEE Conf. on Robotics and Automation, Univ of Texas, pp. 3583-3588 (Apr. 1997).
- Raab, et al., "Magnetic Position and Orientation Tracking System," IEEE Transactions on Aerospace and Electronic Systems, vol. AES-15, No. 5, pp. 709-718 (Sep. 1979).
- Regan, "Smart Golf Clubs," baltimoresun.com, Jun. 17, 2005.
- Rekimoto, "Tilting Operations for Small Screen Interfaces," Tech Note presented at 9th Annual ACM Symposium on User Interface Software and Technology (UIST'96) (Nov. 1996) (electronic copy available for download at <http://www.sonycs.jp/person/rekimoto/papers/uist96.pdf>).
- Resnick, et al., "Digital Manipulatives: New Toys to Think With," Chi 98; Apr. 1998; pp. 281-287.
- Response filed May 3, 2010 to Office Action dated Feb. 5, 2010 for U.S. Appl. No. 12/222,787, filed Aug. 15, 2008, now U.S. Patent No. 7,774,155 (including Rule 1.132 Declaration by Steve Mayer).

(56)

References Cited

OTHER PUBLICATIONS

- Reunert, "Fiber-Optic Gyroscopes: Principles and Applications," *Sensors*, Aug. 1993, pp. 37-38.
- Ribo, et al., "Hybrid Tracking for Outdoor Augmented Reality Applications," *IEEE Computer Graphics and Applications*, vol. 22, No. 6, pp. 54-63, Nov./Dec. 2002.
- Riviere, et al., "Adaptive Canceling of Physiological Tremor for Improved Precision in Microsurgery," *IEEE Transactions on Bio-medical Engineering*, vol. 45, No. 7, pp. 839-846 (Jul. 1998).
- Roberts, "The Lincoln Wand," 1966 Proceedings of the Fall Joint Computer Conference (1966), available for electronic download at <http://www.computer.org/portal/web/csdl/doi/10.1109/AFIPS.1966.105>.
- Robinette, et al., "Implementation of Flying, Scaling, and Grabbing in Virtual Worlds," *ACM Symposium* (Jun. 1992).
- Robinette, et al., "The Visual Display Transformation for Virtual Reality," University of North Carolina at Chapel Hill (Sep. 1994).
- Roetenberg, "Inertial and magnetic sensing of human motion," Thesis, University of Twente (May 2006).
- Roetenberg, et al., "Inertial and Magnetic Sensing of Human Movement Near Ferromagnetic Materials," Paper presented at Second IEEE and ACM International Symposium on Mixed and Augmented Reality, Mar. 2003 (electronic copy available at <http://www.xsens.com/images/stories/PDF/Inertial%20and%20magnetic%20sensing%20of%20human%20movement%20near%20ferromagnetic%20materials.pdf>).
- Rolland, et al., "A Survey of Tracking Technology for Virtual Environments," University of Central Florida, Center for Research and Education in Optics Lasers (CREOL) (Jan. 2001).
- Romer, Kay et al., *Smart Playing Cards: A Ubiquitous Computing Game*, Personal and Ubiquitous Computing, Dec. 2002, vol. 6, Issue 5-6, pp. 371-377, London, England.
- Rothman, Wilson, "Unearthed: Nintendo's Pre-Wiimote Prototype," *gizmodo.com*, Aug. 29, 2007 (accessed at <http://gizmodo.com/gadgets/exclusive/unearthed-nintendo-2001-prototype-motion-sensing-one-handed-controller-by-gyration-294642.php> on Aug. 31, 2011).
- Rothman, Wilson, "Wii-mote Prototype Designer Speaks Out, Shares Sketchbook," *Gizmodo.com*, Aug. 30, 2007 (accessed at <http://gizmodo.com/gadgets/exclusive/wii-mote-prototype-designerspeaks-out-shares-sketchbook-295276.php> on Aug. 31, 2011).
- Sakai, et al., "Optical Spatial Filter Sensor for Ground Speed," *Optical Review*, vol. 2, No. 1, pp. 65-67 (Jan. 1995).
- Santiago, Alves, "Extended Kalman filtering applied to a full accelerometer strapdown inertial measurement unit," M.S. Thesis, Massachusetts Institute of Technology, Dept. of Aeronautics and Astronautics, Santiago (Sep. 1992).
- Satterfield, Shane, "E3 2002: Nintendo announces new GameCube games," *GameSpot*, <http://www.gamespot.com/gamecube/action/rollorama/news/2866974/e3-2002-nintendo-announces-new-gamecube-games>, May 21, 2002 (accessed on Aug. 11, 2011).
- Sawada, et al., "A Wearable Attitude-Measurement System Using a Fiberoptic Gyroscope," *MIT Presence*, vol. 11, No. 2, pp. 109-118, Apr. 2002.
- Sayed, "A Framework for State-Space Estimation with Uncertain Models," *IEEE Transactions on Automatic Control*, vol. 46, No. 7, Jul. 2001.
- Schofield, Jack, et al., Games reviews, "Coming up for airpad," *The Guardian* (Feb. 3, 2000) (accessed at <http://www.guardian.co.uk/technology/2000/feb/03/online-supplement5/print> on Jun. 18, 2010).
- Selectech Airmouse, "Mighty Mouse", *Electronics Today International*, p. 11 (Sep. 1990).
- Skien, Mike, "Nintendo Announces Wireless GBA Link", *Bloomberg*, Sep. 25, 2003 (accessed at <http://www.nintendoworldreport.com/news/9011>).
- SmartSwing, "SmartSwing: Intelligent Golf Clubs that Build a Better Swing," <http://web.archive.org/web/20040728221951/http://www.smartswinggolf.com/> (accessed on Sep. 8, 2011).
- SmartSwing, "The SmartSwing Learning System Overview," Apr. 26, 2004, <http://web.archive.org/web/2004426215355/http://www.smartswinggolf.com/tls/index.html> (accessed on Jul. 29, 2011).
- SmartSwing, "The SmartSwing Learning System: How it Works," 3 pages, Apr. 26, 2004, http://web.archive.org/web/20040426213631/http://www.smartswinggolf.com/tls/how_it_works.html (accessed on Jul. 29, 2011).
- SmartSwing, "The SmartSwing Product Technical Product: Technical Information," Apr. 26, 2004, http://web.archive.org/web/20040426174854/http://www.smartswinggolf.com/products/technical_info.html (accessed on Jul. 29, 2011).
- SmartSwing, Training Aid, Austin, Texas, Apr. 2005.
- Sorenson, et al., "The Minnesota Scanner: A Prototype Sensor for Three-Dimensional Tracking of Moving Body Segments," *IEEE Transactions on Robotics and Animation*, vol. 5, No. 4 (Aug. 1989).
- Star Wars Action Figure with CommTech Chip by Hasbro (1999).
- Star Wars Episode 1 CommTech Reader Instruction Manual (1998).
- Stovall, "Basic Inertial Navigation," NAWCWPNS TM 8128, Navigation and Data Link Section, Systems Integration Branch (Sep. 1997).
- Sulic, "Logitech Wingman Cordless Rumblepad Review," *Gear Review* at IGN, Jan. 14, 2002 (accessed at <http://gear.ign.com/articles/317/317472p1.html> on Aug. 1, 2011).
- Sutherland, "A Head-Mounted Three Dimensional Display," Paper presented at AFIPS '68 Fall Joint Computer Conference, Dec. 9-11, 1968, (1968); electronic copy of paper available at www.cise.ufl.edu/~lok/teaching/dcvef05/papers/sutherland-headmount.pdf.
- Sutherland, Ivan E., "Sketchpad: A Man-Machine Graphical Communication System," *Proceedings of the AFIPS Spring Joint Computer Conference*, Detroit, Michigan, May 21-23, 1963, pp. 329-346 (source provided is reprinting of text accessed at <http://www.guidebookgallery.org/articles/sketchpadamanmachinegraphicalcommunicationsystem> on Sep. 8, 2011).
- Tech Designers Rethink Toys: Make Them Fun *Wall Street Journal*, Dec. 17, 2001.
- Templeman, James N., "Virtual Locomotion: Walking in Place through Virtual Environments," *Presence*, vol. 8, No. 6, pp. 598-617, Dec. 1999.
- Timmer, et al., "Characteristics of Hand Tremor Time Series," *Biological Cybernetics*, vol. 70, No. 1, pp. 75-80 (May 1993).
- Timmer, et al., "Cross-Spectral Analysis of Tremor Time Series," *International Journal of Bifurcation and Chaos*, vol. 10, No. 11 pp. 2595-2610 (Nov. 2000); electronic text available at http://www.fdmold.uni-freiburg.de/groups/timeseries/tremor/pubs/cs_review.pdf.
- Timmer, et al., "Pathological Tremors: Deterministic Chaos or Nonlinear Stochastic Oscillators?" *Chaos*, vol. 10, No. 1 pp. 278-288 (Mar. 2000).
- Timmer, et al., Cross-Spectral Analysis of Physiological Tremor and Muscle Activity: II Application to Synchronized Electromyogram, *Biological Cybernetics*, vol. 78 (Jun. 1998) (copy provided obtained from <http://arxiv.org/abs/chao-dyn/9805012>).
- Titterton, et al., "Strapdown Inertial Navigation Technology," Peter Peregrinus Ltd., pp. 1-56 and pp. 292-321 (May 1997).
- Toy Designers Use Technology in New Ways as Sector Matures, *WSJ.com*, Dec. 17, 2001.
- Traq 3D, "Healthcare," <http://www.traq3d.com/Healthcare/Healthcare.aspx> (accessed on Jan. 21, 2010).
- Ulanoff, Lance, "Nintendo's Wii is the Best Product Ever," *PC Magazine*, Jun. 21, 2007 (accessed at http://www.pcmag.com/print_article2/0,1217,a=210070,00.asp?hidPrint=true on Aug. 1, 2011).
- UNC Computer Science Department, "News & Notes from Sitterson Hall," UNC Computer Science, Department Newsletter, Issue 24, Spring 1999 (Apr. 1999) (accessed at <http://www.cs.unc.edu/NewsAndNotes/Issue24/> on Jun. 18, 2010).
- Urban, "BAA 96-37 Proposer Information," DARPA/ETO (1996) (accessed at [http://www.fbodaily.com/cbd/archive/1996/08\(August\)/19-Aug-1996/Aso1001.htm](http://www.fbodaily.com/cbd/archive/1996/08(August)/19-Aug-1996/Aso1001.htm) on Jul. 27, 2010).
- US Dynamics Corp, "Spinning Mass Mechanical Gyroscopes," Aug. 2006.

(56)

References Cited

OTHER PUBLICATIONS

- US Dynamics Corp, "The Concept of 'Rate', (more particularly, angular rate pertaining to rate gyroscopes) (rate gyro explanation)," Aug. 2006.
- US Dynamics Corp, "US Dynamics Model 475 Series Rate Gyroscope Technical Brief," Dec. 2005.
- US Dynamics Corp, "US Dynamics Rate Gyroscope Interface Brief (rate gyro IO)" Aug. 2006.
- Van Den Bogaard, Thesis, "Using linear filters for real-time smoothing of rotational data in virtual reality application," dated Aug. 2, 2004, available at <http://www.science.uva.nl/research/ias/alumni/m.sc.theses/theses/RobvandenBogaard.pdf>.
- Van Laerhoven et al., "Using an Autonomous Cube for Basic Navigation and Input," Proceedings of the 5th International Conference on Multimodal interfaces, Vancouver, British Columbia, Canada, pp. 203-210, Nov. 5-7, 2003.
- Van Rheeden, et al., "Noise Effects on Centroid Tracker Aim Point Estimation," IEEE Trans. on Aerospace and Electronic Systems, vol. 24, No. 2, pp. 177-185 (Mar. 1988).
- Vaz, et al., "An Adaptive Estimation of Periodic Signals Using a Fourier Linear Combiner," IEEE Transactions on Signal Processing, vol. 42, No. 1, pp. 1-10 (Jan. 1994).
- Verplaetse, "Inertial-Optical Motion-Estimating Camera for Electronic Cinematography," Masters Thesis, MIT, Media Arts and Sciences (Jun. 1997).
- Villoria, Gerald, "Hands on Roll-O-Rama Game Cube," Game Spot, [VTI, Mindflux-Vti CyberTouch, <http://www.mindflux.com/au/products/vti/cybertouch.html> \(1996\).

Wang, et al., "Tracking a Head-Mounted Display in a Room-Sized Environment with Head-Mounted Cameras," Paper presented at SPIE 1990 Technical Symposium on Optical Engineering and Photonics in Aerospace Sensing \(Apr. 1990\).

Ward, et al., "A Demonstrated Optical Tracker With Scalable Work Area for Head-Mounted Display Systems," Paper presented at 1992 Symposium on Interactive 3D Graphics \(Mar. 1992\).

Watt, Alan, 3D Computer Graphics, Chapter 1: "Mathematical fundamentals of computer graphics," 3rd ed. Addison-Wesley, pp. 1-26 \(Dec. 2000\).

Welch, "Hawkeye Zooms in on Mac Screens with Wireless Infrared Nightlight Pointer," MacWeek, May 3, 1993 \(excerpt of article accessed at <http://www.accessmylibrary.com/article/print/1G1-13785387> on Jun. 18, 2010\).

Welch, et al., "High-Performance Wide-Area Optical Tracking: The HiBall Tracking System," MIT Presence: Teleoperators & Virtual Environments \(Feb. 2001\).

Welch, et al., "SCAAT: Incremental Tracking with Incomplete Information," Paper presented at SIGGRAPH 97 Conference on Computer Graphics and Interactive Techniques \(Aug. 1997\), available at <http://www.cs.unc.edu/~welch/media/pdf/scaat.pdf>.

Welch, et al., "The HiBall Tracker: High-Performance Wide-Area Tracking for Virtual and Augmented Environments," Paper presented at 1999 Symposium on Virtual Reality Software and Technology in London, Dec. 20-22, 1999, available at \[http://www.cs.unc.edu/~welch/media/pdf/VRST99_HiBall.pdf\]\(http://www.cs.unc.edu/~welch/media/pdf/VRST99_HiBall.pdf\).

Welch, et al., "Complementary Tracking and Two-Handed Interaction for Remote 3D Medical Consultation with a PDA," Paper presented at Trends and Issues in Tracking for Virtual Environments Workshop at IEEE Virtual Reality 2007 Conference \(Mar. 2007\), available at \[http://www.cs.unc.edu/~welch/media/pdf/Welch2007_TwoHanded.pdf\]\(http://www.cs.unc.edu/~welch/media/pdf/Welch2007_TwoHanded.pdf\).

Welch, et al., "Motion Tracking: No Silver Bullet, but a Respectable Arsenal," IEEE Computer Graphics and Applications, vol. 22, No. 6, pp. 24-38 \(Nov./Dec. 2002\), available at \[http://www.cs.unc.edu/~tracker/media/pdf/cga02_welch_tracking.pdf\]\(http://www.cs.unc.edu/~tracker/media/pdf/cga02_welch_tracking.pdf\).

Welch, Hybrid Self-Tracker: An Inertial/Optical Hybrid Three-Dimensional Tracking System, University of North Carolina Chapel Hill Department of Computer Science, TR 95-048 \(1995\).

Widrow, et al., "Fundamental Relations Between the LMS Algorithm and the DFT," IEEE Transactions on Circuits and Systems, vol. CAS-34, No. 7 \(Jul. 1987\).

Wiley, M., "Nintendo Wavebird Review," Jun. 11, 2002, <http://gear.ign.com/articles/361/361933p1.html> \(accessed on Aug. 1, 2011\).

Williams, et al., "Physical Presence: Palettes in Virtual Spaces," Society of Photo-Optical Instrumentation Engineers \(SPIE\) Conference Series, vol. 3639, No. 374-384 \(May 1999\), available at \[http://www.fakespacelabs.com/papers/3639_46_LOCAL.pdf\]\(http://www.fakespacelabs.com/papers/3639_46_LOCAL.pdf\).

Williams, et al., "Implementation and Evaluation of a Haptic Playback System," vol. 3, No. 3, Haptics-e, May 2004.

Williams, et al., "The Virtual Haptic Back Project," presented at the IMAGE 2003 Conference, Scottsdale, Arizona, Jul. 14-18, 2003.

Wilson, "Wireless User Interface Devices for Connected Intelligent Environments," <http://research.microsoft.com/en-us/um/people/awilson/publications/old/ubicomp%202003.pdf> \(Oct. 2003\).

Wilson, "WorldCursor: Pointing in Intelligent Environments with the World Cursor," <http://www.acm.org/uist/archive/adjunct/2003/pdf/demos/d4-wilson.pdf> \(2003\).

Wilson, "XWand: UI for Intelligent Environments," <http://research.microsoft.com/en-us/um/people/awilson/wand/default.htm>, Apr. 2004.

Wilson, et al., "Demonstration of the Xwand Interface for Intelligent Spaces," UIST '02 Companion, pp. 37-38 \(Oct. 2002\).

Wilson, et al., "Gesture Recognition Using the Xwand," \[http://www.ri.cmu.edu/pub_files/pub4/wilson_daniel_h_2004_1/wilson_daniel_h_2004_1.pdf\]\(http://www.ri.cmu.edu/pub_files/pub4/wilson_daniel_h_2004_1/wilson_daniel_h_2004_1.pdf\) \(Apr. 2004\).

Wilson, et al., "Xwand: UI for Intelligent Spaces," Paper presented at CHI 2003 Conference, Ft. Lauderdale, FL, Apr. 5-10, 2003, available at <http://research.microsoft.com/en-us/um/people/awilson/publications/WilsonCHI2003/CHI%202003%20XWand.pdf> \(2003\).

Wired Glove, Wikipedia article, 4 pages, \[http://en.wikipedia.org/wiki/Wired_glove\]\(http://en.wikipedia.org/wiki/Wired_glove\), Nov. 18, 2010.

Wormell, "Unified Camera, Content and Talent Tracking in Digital Television and Movie Production," Presented at NAB 2000, Las Vegas, NV, Apr. 8-13, 2000 \(available for download at <http://www.intersense.com/pages/44/116/>\) \(2003\).

Wormell, et al., "Advancements in 3D Interactive Devices for Virtual Environments," Presented at the Joint International Immersive Projection Technologies \(IPT\)/Eurographics Workshop on Virtual Environments \(EGVE\) 2003 Workshop, Zurich, Switzerland, May 22-23, 2003 \(available for download at <http://www.intersense.com/pages/44/123/>\) \(2003\).

Worringham, et al., "Directional Stimulus-Response Compatibility: A Test of Three Alternative Principles," Ergonomics, vol. 41, Issue 6, pp. 864-880 \(Jun. 1998\).

Yang, et al., "Implementation and Evaluation of 'Just Follow Me': An Immersive, VR-Based, Motion-Training System," MIT Presence: Teleoperators and Virtual Environments, vol. 11, No. 3, at 304-23 \(MIT Press\), Jun. 2002.

You, et al., "Hybrid Inertial and Vision Tracking for Augmented Reality Registration," <http://graphics.usc.edu/cgit/pdf/papers/Vr1999.PDF> \(Mar. 1999\).

You, et al., "Orientation Tracking for Outdoor Augmented Reality Registration," IEEE Computer Graphics and Applications, IEEE, vol. 19, No. 6, pp. 36-42 \(Nov. 1999\).

Youngblut, et al., "Review of Virtual Environment Interface Technology," Institute for Defense Analyses \(Mar. 1996\).

Yun, et al., "Recent Developments in Silicon Microaccelerometers," Sensors, 9\(10\) University of California at Berkeley, Oct. 1992.

Zhai, "Human Performance in Six Degree of Freedom Input Control," Ph.D. Thesis, University of Toronto \(1995\).

Zhai, "User Performance in Relation to 3D Input Device Design," Computer Graphics 32\(4\), pp. 50-54, Nov. 1998; copy of text downloaded from <http://www.almaden.ibm.com/u/zhai/papers/siggraph/final.html> on Aug. 1, 2011.](http://www.gamespot.com/gamecube/action/rollorama/news.html?sid=2868421&com_act=convert&om_clk=newsfeatures&tag=newsfeatures;title;1&m, May 29, 2002 (accessed on Jul. 29, 2011).</p>
<p>Vorozcovs, et al.,)

(56)

References Cited**OTHER PUBLICATIONS**

Zhou, et al., "A survey—Human Movement Tracking and Stroke Rehabilitation," Technical Report: CSM-420, ISSN 1744-8050, Dept. of Computer Sciences, University of Essex, UK, Dec. 8, 2004.

Zhu et al., "A Real-Time Articulated Human Motion Tracking Using Tri-Axis Inertial/Magnetic Sensors Package," IEEE Transactions on Neural Systems and Rehabilitation Engineering, vol. 12, No. 2, Jun. 2004.

Zowie Playsets, <http://www.piernot.com/proj/zowie/> (accessed on Jul. 29, 2011).

U.S. Patent No. 6,634,949, Non-Final Rejection, May 21, 2002, Response after Non-Final Action, Nov. 21, 2002, Notice of Allowance, Jan. 27, 2003.

U.S. Patent No. 7,749,089, Non-Final Rejection, Feb. 27, 2002, Response after Non-Final Action, Sep. 4, 2002, Final Rejection, Dec. 2, 2002, Request for Continued Examination, Jun. 2, 2003, Non-Final Rejection, Aug. 27, 2003, Response after Non-Final Action, Mar. 3, 2004, Final Rejection, Feb. 5, 2007, Request for Continued Examination, May 8, 2007, Non-Final Rejection, Jun. 11, 2007, Response after Non-Final Action, Jun. 22, 2007, Final Rejection, Oct. 11, 2007, Request for Continued Examination, Oct. 29, 2007, Supplemental Amendment, Mar. 11, 2008, Non-Final Rejection, Jul. 9, 2008, Response after Non-Final Action, Nov. 10, 2008, Final Rejection, Feb. 5, 2009, Request for Continued Examination, May 5, 2009, Non-Final Rejection, Jul. 22, 2009, Response after Non-Final Action, Dec. 18, 2009, Supplemental Amendment, Jan. 22, 2010, Notice of Allowance, Apr. 2, 2010.

U.S. Appl. No. 11/429,913, Non-Final Rejection, Mar. 27, 2008, Response after Non-Final Action, Aug. 27, 2008, Final Rejection, Dec. 16, 2008, Request for Continued Examination, Apr. 15, 2009, Supplemental Amendment, May 28, 2009, Non-Final Rejection, Sep. 2, 2009, Response after Non-Final Action, Jan. 22, 2010, Final Rejection, May 11, 2010.

U.S. Patent No. 8,342,929, Non-Final Rejection, May 8, 2012, Response after Non-Final Action, Aug. 8, 2012, Notice of Allowance, Sep. 7, 2012.

U.S. Patent No. 8,888,576, Non-Final Rejection, Nov. 12, 2013, Response after Non-Final Action, Jan. 8, 2014, Notice of Allowance, Feb. 20, 2014, Request for Continued Examination, Apr. 14, 2014, Notice of Allowance, Oct. 9, 2014.

U.S. Patent No. 8,758,136, Notice of Allowance, Apr. 1, 2014.

U.S. Patent No. 9,186,585, Preliminary Amendment, Oct. 30, 2014, Notice of Allowance, Apr. 3, 2015, Request for Continued Examination, Jun. 10, 2015, Notice of Allowance, Jul. 7, 2015.

U.S. Appl. No. 14/874,306, Preliminary Amendment, Mar. 2, 2016.

U.S. Patent No. 6,967,566, Non-Final Rejection, Jul. 28, 2004, Response after Non-Final Action, Nov. 1, 2004, Final Rejection, Jan. 26, 2005, Amendment after Final Rejection, Mar. 28, 2005, Notice of Allowance, Apr. 22, 2005.

U.S. Patent No. 8,608,535, Non-Final Rejection, Mar. 5, 2007, Response after Non-Final Action, Jun. 27, 2007, Non-Final Rejection, Apr. 2, 2009, Response after Non-Final Action, Aug. 31, 2009, Non-Final Rejection, Oct. 21, 2009, Response after Non-Final Action, Jan. 21, 2010, Final Rejection, Feb. 24, 2010, Request for Continued Examination, Jun. 23, 2010, Non-Final Rejection, Sep. 21, 2010, Response after Non-Final Action, Jan. 19, 2011, Final Rejection, Feb. 11, 2011, Request for Continued Examination, Jun. 10, 2011, Non-Final Rejection, Sep. 9, 2011, Response after Non-Final Action, Jan. 6, 2012, Final Rejection, Jan. 26, 2012, Request for Continued Examination, May 25, 2012, Non-Final Rejection, Nov. 14, 2012, Response after Non-Final Action, Apr. 12, 2013, Notice of Allowance, May 3, 2013.

U.S. Appl. No. 11/507,934, Non-Final Rejection, Aug. 5, 2010, Response after Non-Final Action, Feb. 3, 2011, Final Rejection, Apr. 14, 2011.

U.S. Patent No. 8,827,810, Non-Final Rejection, Nov. 14, 2011, Response after Non-Final Action, Feb. 14, 2012, Final Rejection, Jun. 13, 2012, Request for Continued Examination, Dec. 11, 2012, Non-Final Rejection, Nov. 7, 2013, Response after Non-Final Action, Feb. 3, 2014, Notice of Allowance, May 21, 2014.

U.S. Patent No. 8,702,515, Non-Final Rejection, Jun. 14, 2012, Response after Non-Final Action, Dec. 11, 2012, Final Rejection, Apr. 11, 2013, Request for Continued Examination, Sep. 4, 2013, Notice of Allowance, Nov. 14, 2013, Suppl. Notice of Allowance, Mar. 18, 2014.

U.S. Patent No. 9,272,206, Preliminary Amendment, Jul. 19, 2013, Non-Final Rejection, May 14, 2015, Response after Non-Final Action, Jul. 21, 2015, Notice of Allowance, Jan. 12, 2016, Corrected Notice of Allowability, Jan. 25, 2016.

U.S. Appl. No. 15/009,555, Preliminary Amendment, Jan. 29, 2016, Supplemental Preliminary Amendment, Mar. 9, 2016.

U.S. Patent No. 6,761,637, Non-Final Rejection, Jun. 11, 2003, Response after Non-Final Action, Nov. 3, 2003, Notice of Allowance, Dec. 1, 2003.

U.S. Patent No. 7,500,917, Non-Final Rejection, Oct. 20, 2004, Response after Non-Final Action, Jan. 25, 2005, Final Rejection, Apr. 1, 2005, Request for Continued Examination, Jun. 30, 2005, Non-Final Rejection, Sep. 28, 2005, Response after Non-Final Action, Dec. 20, 2005, Final Rejection, May 18, 2006, Appeal Brief, Oct. 27, 2006, Examiner's Answer, Mar. 15, 2007, Decision—Examiner Reversed, Aug. 19, 2008, Notice of Allowance, Oct. 3, 2008.

U.S. Patent No. 7,850,527, Non-Final Rejection, Aug. 20, 2008, Response after Non-Final Action, Dec. 17, 2008, Non-Final Rejection, Oct. 28, 2009, Response after Non-Final Action, Apr. 26, 2010, Supplemental Amendment, Jul. 1, 2010, Notice of Allowance, Oct. 15, 2010.

U.S. Patent No. 8,708,821, Non-Final Rejection, May 21, 2013, Response to Non-Final Action, Jul. 30, 2013, Supplemental Amendment, Sep. 5, 2013, Notice of Allowance, Nov. 5, 2013.

U.S. Patent No. 9,149,717, Preliminary Amendment, Mar. 24, 2014, Non-Final Office Action, Feb. 25, 2015, Response to Non-Final Action, May 15, 2015, Notice of Allowance, Jun. 29, 2015.

U.S. Appl. No. 14/858,319, Preliminary Amendment, Feb. 17, 2016.

U.S. Patent No. 7,445,550, Non-Final Rejection, Oct. 29, 2007, Response to Non-Final Action, Feb. 13, 2008, Supplemental Amendment, Mar. 12, 2008, Notice of Allowance, Jul. 2, 2008.

U.S. Patent No. 8,089,458, Preliminary Amendment, Mar. 14, 2011, Notice of Allowance, Jul. 25, 2011, Request for Continued Examination, Aug. 19, 2011, Notice of Allowance, Sep. 20, 2011.

U.S. Patent No. 7,878,905, Non-Final Rejection, Mar. 31, 2008, Response to Non-Final Rejection, Jun. 25, 2008, Non-Final Rejection, Dec. 2, 2008, Response to Non-Final Rejection, Mar. 2, 2009, Final Rejection, Jul. 2, 2009, Request for Continued Examination, Nov. 2, 2009, Non-Final Rejection, Nov. 23, 2009, Response to Non-Final Rejection, Mar. 22, 2010, Final Rejection, Jun. 21, 2010, Amendment After Final, Oct. 7, 2010, Request for Continued Examination, Oct. 27, 2010, Notice of Allowance, Nov. 15, 2010.

U.S. Patent No. 7,896,742, Preliminary Amendment, Feb. 20, 2008, Non-Final Rejection, Jun. 3, 2010, Response to Non-Final Rejection, Jul. 1, 2010, Notice of Allowance, Nov. 9, 2010.

U.S. Patent No. 8,330,284, Preliminary Amendment, Jul. 5, 2011, Suppl. Preliminary Amendment, Feb. 27, 2012, Notice of Allowance, Aug. 3, 2012.

U.S. Patent No. 8,531,050, Notice of Allowance, Feb. 8, 2013, Request for Continued Examination, May 7, 2013, Notice of Allowance, Jun. 7, 2013.

U.S. Patent No. 8,491,389, Preliminary Amendment, Aug. 19, 2011, Suppl. Preliminary Amendment, Feb. 27, 2012, Notice of Allowance, Oct. 9, 2012.

U.S. Patent No. 8,169,406, Notice of Allowance, Nov. 16, 2011.

U.S. Patent No. 8,184,097, Preliminary Amendment, Dec. 6, 2011, Suppl. Preliminary Amendment, Mar. 1, 2012, Notice of Allowance, Mar. 8, 2012.

U.S. Patent No. 8,164,567, Preliminary Amendment, Dec. 8, 2011, Supplemental Preliminary Amendment, Feb. 27, 2012, Notice of Allowance, Mar. 7, 2012.

U.S. Patent No. 8,248,367, Notice of Allowance, May 21, 2012, Amendment after Allowance, May 30, 2012.

U.S. Patent No. 8,475,275, Notice of Allowance, Dec. 26, 2012, Request for Continued Examination, Jan. 9, 2013, Notice of Allowance, Apr. 8, 2013.

(56)

References Cited**OTHER PUBLICATIONS**

U.S. Patent No. 8,373,659, Preliminary Amendment, Jul. 11, 2012, Supp. Preliminary Amendment, Jul. 30, 2012, Notice of Allowance, Dec. 5, 2012.

U.S. Patent No. 8,368,648, Notice of Allowance, Nov. 2, 2012.

U.S. Patent No. 8,384,668, Notice of Allowance, Nov. 30, 2012.

U.S. Appl. No. 13/725,899, Suppl. Preliminary Amendment, Dec. 26, 2013, Election Requirement, Jan. 20, 2016.

U.S. Appl. No. 13/725,775, Suppl. Preliminary Amendment, Dec. 26, 2013, Election Requirement, Mar. 2, 2016.

U.S. Patent No. 8,790,180, Suppl. Preliminary Amendment, Dec. 26, 2013, Notice of Allowance, Apr. 1, 2013.

U.S. Patent No. 8,711,094, Suppl. Preliminary Amendment, Sep. 25, 2013, Notice of Allowance, Nov. 22, 2013.

U.S. Patent No. 8,814,688, Non-Final Rejection, Jan. 22, 2014, Response to Non-Final Rejection, Apr. 3, 2014, Notice of Allowance, Jun. 4, 2014.

U.S. Appl. No. 13/827,262, Suppl. Preliminary Amendment, Dec. 26, 2013.

U.S. Patent No. 8,686,579, Notice of Allowance, Nov. 5, 2013, Corrected Notice of Allowance, Dec. 10, 2013, Corrected Notice of Allowance, Jan. 31, 2014.

U.S. Patent No. 9,138,650, Preliminary Amendment, Jun. 2, 2014, Notice of Allowance, May 14, 2015.

U.S. Patent No. 8,913,011, Notice of Allowance, Sep. 25, 2014.

U.S. Patent No. 8,961,312, Non-Final Rejection, Jul. 11, 2014, Response to Non-Final Rejection, Oct. 8, 2014, Suppl. Response, Nov. 7, 2014, Notice of Allowance, Nov. 21, 2014.

U.S. Patent No. 8,915,785, Preliminary Amendment, Jul. 22, 2014, Notice of Allowance, Sep. 4, 2014.

U.S. Patent No. 9,039,533, Preliminary Amendment, Aug. 28, 2014, Non-Final Office Action, Oct. 21, 2014, Notice of Allowance, Dec. 17, 2014.

U.S. Patent No. 9,162,148, Preliminary Amendment, Dec. 17, 2014, Non-Final Office Action, Feb. 25, 2015, Response after Non-Final Action, May 15, 2015, Notice of Allowance, Jun. 9, 2015.

U.S. Appl. No. 14/569,109, Preliminary Amendment, Dec. 23, 2014, Non-Final Office Action, Jul. 30, 2015, Response after Non-Final Action, Nov. 30, 2015, Final Office Action, Feb. 12, 2016.

U.S. Appl. No. 14/628,531, Preliminary Amendment, Feb. 24, 2015, Supp. Preliminary Amendment, Apr. 8, 2015, Restriction Requirement, Apr. 29, 2015, Response to Restriction Requirement, Jun. 29, 2015, Non-Final Rejection, Feb. 22, 2016.

U.S. Appl. No. 14/832,912, Preliminary Amendment, Aug. 28, 2015, Non-Final Rejection, Oct. 29, 2015, Response after Non-Final Action, Jan. 27, 2016.

U.S. Appl. No. 14/720,080, Preliminary Amendment, May 26, 2015, Non-Final Rejection, Mar. 2, 2016.

U.S. Appl. No. 14/850,808, Preliminary Amendment, Nov. 25, 2015.

U.S. Appl. No. 14/885,934, Preliminary Amendment, Oct. 21, 2015, Non-Final Rejection, Mar. 2, 2016.

U.S. Appl. No. 14/751,026, Non-Final Rejection, Mar. 4, 2016.

U.S. Patent No. 9,162,149, Preliminary Amendment, Sep. 18, 2014, Non-Final Rejection, Nov. 4, 2014, Response after Non-Final Action, Feb. 4, 2015, Notice of Allowance, Jun. 8, 2015.

U.S. Patent No. 8,961,260, Non-Final Rejection, Jul. 29, 2014, Response to Non-Final Rejection, Oct. 22, 2014, Notice of Allowance, Nov. 24, 2014.

U.S. Appl. No. 14/621,711, Preliminary Amendment, Aug. 3, 2015, Non-Final Rejection, Oct. 28, 2015, Response to Non-Final Rejection, Jan. 13, 2016, Notice of Allowance, Mar. 2, 2016.

"HyperScan", release date Oct. 2006. Source <http://www.giantbomb.com/hyperscan/3045-1-041>.

"Smart Card News Online", published Oct. 25, 2006, source www.smartcard.co.uk/INOLARCH/2006/October/251006.html.

"Gatmaster Features", "Gatmaster Main Screen", "Gatmaster: So You're a Computer Geek eh?", and "Gatmaster Pricing" by Gate Master Management System, internet article, Jul. 9, 1997; <http://web.archive.org/web/19970709135000/www.gatmaster.com/gmfeat.htm> (accessed on Dec. 11, 2008).

"Ollivanders: Makers of Fine Wands." Dec. 2, 2002. [online] [retrieved on Mar. 30, 2005], Retrieved from Internet (URL:<http://www.cim.mcgill.edu/~ljer/courses/hci/assignments/2002/www.ece.mcgill.ca/%7Eeuryd>).

International Preliminary Examination Report, International App. No. PCT/US00/09482; dated Apr. 24, 2001; 4 pages.

International Search Report and Written Opinion, International App. No. PCT/US04/08912; mailed Aug. 26, 2004.

International Search Report and Written Opinion, International App. No. PCT/US05/34831; mailed Jul. 2, 2008; 11 pages.

International Search Report and Written Opinion; International Appl. No. PCT/US2006/043915; mailed Mar. 9, 2007; 8 pages.

Laser Tag: General info: History of Laser Tag, <http://lasertag.org/general/history.html> (accessed on Mar. 13, 2008; historical dates start on Mar. 1984).

Laser Tag: Lazer Tag Branded Gear; last update Sep. 26, 2006, http://home.comcast.net/~ferret1963/Lazer_Tag_Brand.HTML (accessed on Mar. 13, 2008; historical dates start in 1986).

Owl Magic Wand & Owl Magic Orb Raving Toy Maniac, Nov. 19, 2001. [online] [retrieved on Mar. 30, 2005], Retrieved from the Internet (URL:<http://www.toymania.com/news/messages/1358.shtm1>).

* cited by examiner




FIG. 1




FIG. 2C




FIG. 2A




FIG. 2B




FIG. 3




FIG. 6




FIG. 4A




FIG. 4B




FIG. 5




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19



FIG. 20



FIG. 21




FIG. 22




FIG. 23

TOY INCORPORATING RFID TAG

RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 14/621,711, filed Feb. 13, 2015, now U.S. Pat. No. 9,320,976, issued Apr. 26, 2016, which is a continuation of U.S. patent application Ser. No. 14/226,127, filed Mar. 26, 2014, now U.S. Pat. No. 8,961,260, issued Feb. 24, 2015, which is a continuation of U.S. patent application Ser. No. 12/355,489, filed Jan. 16, 2009, now U.S. Pat. No. 8,753,165, issued Jun. 17, 2014, which is a continuation of U.S. patent application Ser. No. 11/241,812, filed Sep. 30, 2005, now U.S. Pat. No. 7,488,231, issued Feb. 10, 2009, which is a continuation of U.S. patent application Ser. No. 10/045,582, filed Oct. 22, 2001, now U.S. Pat. No. 7,066,781, issued Jun. 27, 2006, which claims priority to U.S. Provisional Patent Application No. 60/241,893, filed Oct. 20, 2000, each of which is hereby incorporated herein by reference in its entirety.

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention relates in general to children's toys primarily of the stuffed-animal, doll or action figure variety, and, in particular, to a children's toy having an RFID tag or other wireless, batteryless communication/identification device associated therewith.

2. Description of the Related Art

Children's toys in the form of traditional dolls, puppets, stuffed animals and the like have been around for centuries and are an enduring favorite among children—particularly among toddler-age children. A favorite doll, stuffed animal or other similar toy can provide a much-needed imaginary friend, pet or playmate for a child who occasionally gets lonely or bored. Such “playmate” toys can also help a child to express himself or herself and to learn basic social skills that foster personality development and overall social adjustment.

Most traditional playmate toys are simple stuffed animals, puppets or molded plastic dolls and the like. Most are mass produced and distributed nationally and/or internationally via a vast network of stores, wholesalers, retailers and other distributors. Many of these toys embody, represent or are otherwise associated with a particular licensed television character or personality, such as the Sesame Street™ puppets, Barney and Friends™, or the various Disney™ characters. Thus, the familiarity and likeability of the licensed character creates demand for the licensed toy. Others are simple generic forms representing people, animals, cars, robots, friendly monsters, and/or other imaginative creations.

Some playmate toys are personalized via individual names, birth certificates, etc. For example, the once-popular Cabbage Patch Kids™ came complete with individualized facial and hair features, name and official birth certificate. Another popular toy vendor, Build 'a Bear™, takes the concept of personalization even further by allowing and encouraging children to actually pick out, stuff, dress and name their favorite stuffed-animal playmate toy. In many cases, the vendor/retailer continues to provide periodic birthday reminder cards, custom wardrobe selections, notices of special events and the like even after the toy is purchased. All of these individualized “personality” touches can make an otherwise-inanimate playmate toy seem more real and fun for a child and helps foster that certain special

relationship and bond that often develops between a child and his or her favorite playmate toy.

Another recent improvement involves uniquely identifying a stuffed animal toy with a bar-code tag that is inserted into the stuffing of the toy and which can be “surgically” extracted and read using conventional bar-code technology. The internal bar code tag is useful in helping identify lost or stolen stuffed animals and to return them to their rightful owners. However, use of an internal bar code tag in this manner is inconvenient and can potentially damage the stuffed animal during surgical extraction and replacement. On the other hand, placing the bar code tag on an accessible exterior portion of the stuffed animal could impair the aesthetics and functionality of the toy, possibly posing choking hazards and/or increasing the risk that the tag becomes separated from the stuffed animal.

SUMMARY OF THE INVENTION

The present invention expands and improves upon the concept of a playmate toy or other similar children's toy by associating with the toy a unique wireless, batteryless ID tag (“tag” or “token”) that can be read from and/or written to using radio-frequency waves. Because radio waves can easily penetrate solid objects, such as the outer skin of a toy and/or the like, the tag can be mounted internally within a cavity of the toy and thereby provide communication of stored information without requiring surgical removal of the tag. Thus, a stuffed animal or other toy can be quickly and easily identified non-invasively, without damaging the toy. Additional information (e.g., unique personality traits, special powers, skill levels, etc.) can also be easily stored on the tag, thus providing further personality enhancement, input/output programming, simulated intelligence and/or interactive gaming possibilities.

In accordance with one embodiment, the present invention provides a children's toy comprising a doll, puppet or stuffed animal containing therein a wireless tag/transponder configured and adapted to facilitate non-invasive electronic storage and retrieval of desired information.

In accordance with another embodiment the present invention provides an interactive play system and seemingly magical toy for enabling a trained user to electronically send and receive information to and from other toys and/or to and from various reader devices distributed throughout a play facility and/or connected to a master control system. The toy or other seemingly magical object is configured to use a send/receive radio frequency communication protocol which provides a basic foundation for a complex, interactive entertainment system to create a seemingly magic interactive play experience for play participants who possess and learn to use the magical toy.

In accordance with another embodiment the present invention provides an interactive play structure in the theme of a “magic” training center. Within the play structure, play participants train a magical bear and/or learn to use a “magic wand” and/or other tracking/actuation device. The bear or wand allows play participants to electronically and “magically” interact with their surrounding play environment simply by placing the bear or wand in a particular location to produce desired effects within the play environment. Various receivers or transceivers are distributed throughout the play structure to facilitate such interaction via wireless communications.

For purposes of summarizing the invention and the advantages achieved over the prior art, certain objects and advantages of the invention have been described herein above. Of

course, it is to be understood that not necessarily all such objects or advantages may be achieved in accordance with any particular embodiment of the invention. Thus, for example, those skilled in the art will recognize that the invention may be embodied or carried out in a manner that achieves or optimizes one advantage or group of advantages as taught herein without necessarily achieving other objects or advantages as may be taught or suggested herein.

All of these embodiments are intended to be within the scope of the invention herein disclosed. These and other embodiments of the present invention will become readily apparent to those skilled in the art from the following detailed description of the preferred embodiments having reference to the attached figures, the invention not being limited to any particular preferred embodiment(s) disclosed.

BRIEF DESCRIPTION OF DRAWINGS

Having thus summarized the general nature of the invention and its essential features and advantages, certain preferred embodiments and modifications thereof will become apparent to those skilled in the art from the detailed description herein having reference to the figures that follow, of which:

FIG. 1 is a partially-exploded schematic view of a children's toy in the form of a stuffed-animal having an RFID tag device associated therewith in accordance with one preferred embodiment of the invention;

FIG. 2A is a perspective view of a children's toy in the form of a magical wand having an RFID tag device associated therewith in accordance with one preferred embodiment of the invention;

FIG. 2B is a partially exploded detail view of the proximal end or handle portion of the wand toy of FIG. 2A, illustrating the optional provision of combination wheels having features and advantages in accordance with the present invention;

FIG. 2C is a partial cross-section detail view of the distal end or transmitting portion of the wand toy of FIG. 2A, illustrating the provision of an RFID tag device therein;

FIG. 3 is a detailed schematic view of one embodiment of an RFID tag device for use with the toy of FIG. 1 and having features and advantages in accordance with the present invention;

FIGS. 4A and 4B are schematic diagrams illustrating typical operation of the RFID tag device of FIG. 3;

FIG. 5 is simplified schematic diagram of an RFID read/write system for use with the RFID tag device of FIG. 3 and having features and advantages in accordance with the present invention;

FIG. 6 is a simplified block diagram illustrating the basic organization and function of the electronic circuitry comprising the RFID tag device of FIG. 3;

FIG. 7 is a simplified schematic diagram of an RF reader and master control system for use with the RFID-tagged toys of FIGS. 1 and 2 and having features and advantages in accordance with the present invention; and

FIGS. 8-23 are various illustrations of a resort-based "magic bear" training facility having features and advantages of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In describing the various preferred embodiments in reference to the appended figures, similar reference numerals may sometimes be used to indicate similar structures or

features of the invention. However, it is to be understood that such indicated structures or features may or may not be identical in the various described embodiments of the invention.

5 RFID-Tagged Toy

FIG. 1 is a partially-exploded schematic view of a children's toy **100** having an RFID tag device **110** associated therewith in accordance with one preferred embodiment of the invention. In the illustrated embodiment the toy comprises a simple stuffed "teddy bear." Of course those skilled in the art will readily appreciate that the invention is equally applicable to many other types of toys, such as, for example and without limitation: stuffed animals, dolls, puppets, action figures, robots, battery operated toys, trinkets, amusement items, jewelry, board games and board game tokens, masks, costumes, magic wands/hats/bags and the like, interactive children's books, balls, pillows, bean bags, and many other similar toys capable of carrying and/or receiving an RFID tag as described herein. Other than as described herein, the bear **100** is fabricated and constructed in any conventional fashion using known and existing materials, fabrics, stuffing and the other materials, as desired.

At least one electronic tag device—preferably a read/write, wireless, batteryless, RFID tag device **110**—is inserted inside the body **126** of the bear **100**, as illustrated, to create a "magic bear" toy having features and advantages of the present invention. Preferably, insertion of the tag is accomplished during manufacture of the bear at the factory or within a retail facility, in the case of a make-your-own-bear. Alternatively, the tag may be inserted into an existing stuffed-animal or other toy by surgical insertion, partial disassembly or other expedients readily apparent to those skilled in the art.

If desired, the tag may be enveloped, contained or otherwise embodied in a small heart-shaped trinket, case or other similar-shaped item as may be appropriate and fun for kids. Preferably, the tag **110** is permanently installed and contained within the body **126** of the bear such that it cannot be easily removed or become dislodged. Placement of the tag within the body **126** is preferably such that it does not interfere with or diminish the softness of the bear or expose sharp/hard surfaces that may poke or puncture the skin of the bear **100**. The head and belly are preferred tag locations. Alternatively, multiple tags **110** may be inserted and placed with the body of the bear **100** at one or more different locations (e.g., hands, feet, head, belly, etc.) as desired in order to provide redundant and/or multi-functioning tag devices. Various auxiliary devices, special effects and the like may also be provided to complement the overall theme and functionality of the toy **100**. For example, the bear **100** may include an LED indicator on its nose (see FIG. 10) which glows whenever the bear becomes "magically empowered" (i.e., when its tag is read and/or the bear comes within proximity of an associated reader).

The particular tag device **110** illustrated is intended to be inserted inside a children's toy **100**. Alternatively and/or in addition, one or more RFID tag devices may be affixed or adhered to the toy bear **100** upon any convenient surface thereof, or it may be inserted into one or more associated articles of clothing, accessories, jewelry or other items designed to be worn/used either by the playmate toy or a child. For example, a "magic" hat **128**, or wand **138** may be donned by the bear **100** for purposes of special "magic training" sessions.

FIG. 2 illustrates in more detail the basic construction of a preferred embodiment of one such "magic" wand **300** having features and advantages in accordance with one

preferred embodiment of the invention. As illustrated in FIG. 2A the wand **300** basically comprises an elongated hollow pipe or tube **310** having a proximal end or handle portion **315** and a distal end or transmitting portion **320**. If desired, an internal cavity may be provided to receive one or more batteries to power optional lighting, laser or sound effects and/or to power longer-range transmissions such as via an infrared LED transmitter device or RF transmitter device. An optional button **325** may also be provided, if desired, to enable particular desired functions, such as sound or lighting effects or longer-range transmissions.

FIG. 2B is a partially exploded detail view of the proximal end **315** of the magic wand toy **300** of FIG. 2A. As illustrated, the handle portion **315** is fitted with optional combination wheels having various symbols and/or images thereon. Preferably, certain wand functions may require that these wheels be rotated to produce a predetermined pattern of symbols such as three owls, or an owl, a broom and a moon symbol. Those skilled in the art will readily appreciate that the combination wheels may be configured to actuate electrical contacts and/or other circuitry within the wand **300** in order to provide the desired functionality. Alternatively, the combinations wheels may provide a simple security measure to prevent unauthorized users from actuating the wand.

RFID Tag/Transponder

FIG. 2C is a partial cross-section detail view of the distal end of magic wand toy **300** of FIG. 2A. As illustrated, the distal end **320** is fitted with an RFID (radio frequency identification device) transponder **335** that is operable to provide relatively short-range RF communications (<60 cm). This transponder basically comprises a passive (non-battery-operated) RF transmitter/receiver chip **340** and an antenna **345** provided within a hermetically sealed vial. A protective silicon sheathing **355** is preferably inserted around the sealed vial between the vial and the inner wall of the tube **310** to insulate the transponder from shock and vibration.

At its most basic level, RFID provides a wireless link to uniquely identify objects or people. It is sometimes called dedicated short range communication (DSRC). RFID systems include electronic devices called transponders or tags, and reader electronics to communicate with the tags. These systems communicate via radio signals that carry data either unidirectionally (read only) or, more preferably, bi-directionally (read/write). One suitable RFID transponder is the 134.2 kHz/123.2 kHz, 23 mm Glass Transponder available from Texas Instruments, Inc. (<http://www.tiris.com>, Product No. RI-TRP-WRHP).

FIG. 3 is a detailed schematic view of an alternative embodiment of an RFID tag device **110** for use with the toy bear of FIG. 1. The tag **110** in the preferred embodiment illustrated preferably comprises a radio frequency tag pre-programmed with a unique bear identifier number ("UBIN"). Other stored information (either pre-programmed or programmed later) may include, for example, the bear's name, its owner's name and age, the bear's rank or level, total points accumulated, tasks completed, facilities visited, etc. The tag **110** generally comprises a spiral wound antenna **150**, a radio frequency transmitter chip **160** and various electrical leads and terminals **170** connecting the chip **160** to the antenna **150**.

The tag may be a passive tag **110** or battery-powered, as expedience and costs dictate. Preferably, the tag **110** is passive (requires no batteries) so that it is inexpensive to purchase and maintain. Such tags and various associated readers and other accessories are commercially available in

a wide variety of configurations, sizes and read ranges. RFID tags having a read range of between about 10 cm to about 100 cm are particularly preferred, although shorter or longer read ranges may also be acceptable. The particular tag **110** illustrated is the 13.56 mHz tag sold under the brand name Taggit™ available from Texas Instruments, Inc. (<http://www.tiris.com>, Product No. RI-103-110A). The tag **110** has a useful read/write range of about 25 cm and contains 256-bits of on-board memory arranged in 8x32-bit blocks which may be programmed (written) and read by a suitably configured read/write device. If a longer read/write range (e.g., 1-100 meters) and/or more memory (e.g., 1-100 Mb) is desired, optional battery-powered tags may be used instead, such as the AXCESS active RFID network system available from AXCESS, Inc. and/or various other RF-based asset and people tracking applications known to those skilled in the art.

FIG. 6 is a simplified block diagram illustrating the basic organization and function of the electronic circuitry comprising the radio frequency transmitter chip **160** of the RFID tag device **110** of FIG. 3. The chip **160** basically comprises a central processor **230**, Analogue Circuitry **235**, Digital Circuitry **240** and on-board memory **245**. On-board memory **245** is divided into read-only memory (ROM) **250**, random access memory (RAM) **255** and non-volatile programmable memory **260**, which is available for data storage. The ROM-based memory **250** is used to accommodate security data and the tag operating system instructions which, in conjunction with the processor **230** and processing logic deals with the internal "house-keeping" functions such as response delay timing, data flow control and power supply switching. The RAM-based memory **255** facilitates temporary data storage during transponder interrogation and response. The non-volatile programmable memory **260** may take various forms, electrically erasable programmable read only memory (EEPROM) being typical. It is used to store the transponder data and is preferably non-volatile to ensure that the data is retained when the device is in its quiescent or power-saving "sleep" state.

Various data buffers or further memory components (not shown), may be provided to temporarily hold incoming data following demodulation and outgoing data for modulation and interface with the transponder antenna **150**. Analog Circuitry **135** provides the facility to direct and accommodate the interrogation field energy for powering purposes in passive transponders and triggering of the transponder response. Analog Circuitry also provides the facility to accept the programming or "write" data modulated signal and to perform the necessary demodulation and data transfer processes. Digital Circuitry **240** provides certain control logic, security logic and internal microprocessor logic required to operate central processor **230**.

Advantageously, the UBIN stored on each tag **110** may be used to wirelessly identify and track individual bears **100** within a retail facility, park, hotel/resort/restaurant and/or anywhere else around the world. Optionally, each tag **110** may also include a unique kid identifier number ("UKIN") which may be used to match one or more bears with an individual kid-owner. If desired, the tag **110** may be covered with an adhesive paper label (not shown) for surface adhesion to a toy, clothes, or any other tag bearing surface. More preferably, the tag **110** may be molded and/or embedded into a relatively stiff plastic sheet substrate and/or transponder cylinder which holds and supports the tag **110**. Optionally, the sheet substrate, transponder or other support structure may be shaped as a heart, a medallion, a high-tech gizmo or any other fanciful shape, as desired. The resulting structures

may be inserted into the bear **100** (e.g., a heart), or they may be worn externally by either the bear **100** and/or its kid-owner (e.g., as a bracelet, necklace, key chain trinket, etc.). Reader/Writer Devices

In operation, various RFID reader (and/or reader/writer) devices are provided and may be distributed throughout a hotel/resort, retail facility, play facility, theme park, family entertainment center or any other “magic bear” compatible environment. These readers are able to read the information stored on each tag **110** when the associated bear **100** is brought into suitable proximity of the reader (1 to 100 cm). Advantageously, because radio waves can easily penetrate solid objects, such as the outer skin of a toy and/or the like, the tag **110** can be mounted internally within a cavity of the toy, thereby providing communication of stored information without requiring surgical extraction of the tag. Thus, the UBIN and UKIN information can be conveniently read non-invasively, without damaging the toy. This information may be easily communicated to a cash-register display, computer monitor, interactive game control system, display system or other tracking, recording or displaying device for purposes of identifying, logging and creating a record of each bear’s experience. Additional information (e.g., unique personality traits, special powers, skill levels, etc.) can also be easily stored on the tag, thus providing further personality enhancement, input/output programming, simulated intelligence and/or interactive gaming possibilities.

Information may also be conveniently used to identify a bear’s name, birthday, and owner, calculating point totals from various gaming experiences, tracking and/or locating lost bears/children, verifying whether or not a bear/child is inside a facility, photo capture and retrieval, and/or many other useful purposes as will be readily obvious and apparent to those skilled in the art. Optionally, various updated information may be written to the tag **110**, such as new point totals, rank, enhanced “magic” powers and skills.

FIGS. 4A, 4B and 5 are simplified schematic illustrations of tag and reader operation. The tag **110** is initially activated by a radio frequency signal broadcast by an antenna **210** of an adjacent reader or activation device **200**. The signal impresses a voltage upon the antenna **150** by inductive coupling which is then used to power the chip **160** (see, e.g., FIG. 3). When activated, the chip **160** transmits via radio frequency a unique identification number preferably corresponding to the UBIN and/or UKIN described above (see, e.g., FIG. 3 and associated discussion). The signal may be transmitted either by inductive coupling or, more preferably, by propagation coupling over a distance “d” determined by the range of the tag/reader combination. This signal is then received and processed by the associated reader **200** as described above. If desired, the RFID tag or transponder **110** may also be configured for read/write communications with an associated reader/writer. Thus, the unique tag identifier number (UBIN or UKIN) and any other stored information can be read, changed or other information may be added.

As indicated above, communication of data between a tag and a reader is by wireless communication. As a result, transmitting such data is possibly subject to the vagaries and influences of the media or channels through which the data has to pass, including the air interface. Noise, interference and distortion are potential sources of data corruption that may arise. Thus, those skilled in the art will appreciate that a certain degree of care should be taken in the placement and orientation of the various readers **200** so as to minimize the probability of such data transmission errors. Preferably, the readers are placed at least 30-60 cm away from any metal objects, power lines or other potential interference sources.

Those skilled in the art will also recognize that the write range of the tag/reader combination is typically somewhat less (~10-15% less) than the read range “d” and, thus, this should also be taken into account in determining optimal placement and positioning of each reader device **200**.

Typical RFID data communication is asynchronous or unsynchronized in nature and, thus, particular attention should be given in considering the form in which the data is to be communicated. Structuring the bit stream to accommodate these needs, such as via a channel encoding scheme, is preferred in order to provide reliable system performance. Various suitable channel encoding schemes, such as amplitude shift keying (ASK), frequency shift keying (FSK), phase shift keying (PSK) and spread spectrum modulation (SSM), are well known to those skilled in the art and will not be further discussed herein. The choice of carrier wave frequency is also important in determining data transfer rates. Generally speaking the higher the frequency the higher the data transfer or throughput rates that can be achieved. This is intimately linked to bandwidth or range available within the frequency spectrum for the communication process. Preferably, the channel bandwidth is selected to be at least twice the bit rate required for the particular application.

Master Control System

Depending upon the degree of complexity desired and the amount of information sharing required, some or all of the various reader/writer devices **200** may be connected to a master control system or central server **275** as illustrated in FIG. 7. For example, various electronic interactive play elements may be disposed throughout a play facility and which allow play participants to create desired “magical” effects. These may include interactive elements such as projectile accelerators, cannons, interactive targets, fountains, geysers, cranes, filter relays, and the like for amusing and entertaining play participants and/or for producing various desired visual, aural or tactile effects. These may be actuated manually by play participants or, more desirably, “magically” electronically by appropriately “training” one’s bear in various magic skills. Some interactive play elements may have simple immediate effects, while others may have complex and/or delayed effects. Some play elements may produce local effects while others may produce remote effects. Each play participant within the facility, or sometimes a group of play participants working together, preferably must experiment with the various play elements and using their magic bears in order to discover how to create the desired effect(s). Once one play participant figures it out, he or she can use the resulting play effect to surprise and entertain other play participants. Yet other play participants will observe the activity and will attempt to also figure it out in order to turn the tables on the next group. Repeated play on a particular play element can increase the bear’s magic skills to repeatedly produce a desired effect or increase the size or range of such effects. Optionally, play participants can have their bears compete with one another using the various interactive play elements to see which player’s bear can create bigger, longer, more accurate or more spectacular magical effects.

In the case of an interactive play facility with a master control system preferably each RFID tag **110** is configured to electronically send and receive information to and from each reader/writer **200** distributed throughout the play facility using a send receive radio frequency (“SRRF”) communication protocol. This communications protocol provides the basic foundation for a complex, interactive entertainment system which creates a seemingly magic interactive

play experience for participants whose bears learn to use the seemingly “magical” powers they are imbued with via the RFID tag technology.

In the most refined embodiments, a participant may use his or her “magic bear” or other similar toy to electronically send and receive information to and from other bears/toys and/or to and from a master control system located within and/or associated with any of a number of play environments. This network of SRRF-compatible play environments provides a complex, interactive play and entertainment system that creates a seamless magical interactive experience that transcends conventional physical and temporal boundaries.

SRRF may generally be described as an RF-based communications technology and protocol that allows pertinent information and messages to be sent and received to and from two or more SRRF compatible devices or systems. While the specific embodiments described herein are specific to RF-based communication systems, those skilled in the art will readily appreciate that the broader interactive play concepts taught herein may be realized using any number of commercially available 2-way and/or 1-way medium range wireless communication devices and communication protocols such as, without limitation, infrared-, digital-, analog, AM/FM-, laser-, visual-, audio-, and/or ultrasonic-based systems, as desired or expedient.

In a preferred embodiment, a play facility is configured with SRRF technology to provide a master control system for an interactive entertainment play environment using SRRF-compatible magic bears, magic wands and/or other SRRF compatible toys. A typical play facility provided with SRRF technology may allow 300-400 or more users to more-or-less simultaneously send and receive electronic transmissions to and from the master control system using the bear, a magic wand and/or other SRRF-compatible toys.

The SRRF system preferably uses a software program and data-base that can track the locations and activities of up to a hundred or more participants. This information is then used to adjust the play/ride experience for the user based on “knowing” where the user/player has been, what objectives that player (or group of players in a ride vehicle) has accomplished and how many points or levels have been reached. The system can then send messages to the users throughout the ride experience. For example, the system can allow or deny access to a secret passage based on how many points or levels reached by that participant’s bear and/or based on what objectives the bear has accomplished or helped accomplish. It can also indicate, via sending a message to the user the amount of points or specific objectives necessary to complete a “mission” or enter the next level of play. The master control system may log events into a data base for later retrieval and use in applications, such as:

- Identifying a guest with a name, address and personal data (birthday, favorite color, bear’s name, etc.)
- Locating the bear and child
- Triggering an event or special effect
- Allowing passage into a secret or magical place
- Recording activities completed, giving points for those achievements which then can be used for future redemption
- Storing information to create a storybook of each child’s adventures
- Using bear/tag as a debit charge to purchase snacks, gift items, etc.

The master control system can also preferably send messages to the user from other users. Optionally, the system may be suitably configured to allow multiple users to

interact with each other adjusting the master control system. The master system can also preferably interface with digital imaging and/or video capture so that the users can be visually tracked. Any user can locate another user either through the video capturing system or by sending a message to another device. At the end of a visit, participants are informed of their activities and the system interfaces with photo-printout capabilities. For example, as each participant enters a specific “game zone” within the facility, a reader reads data stored on the tag embedded with the participant’s bear or other SRRF-compatible toy. This information is communicated to the master system which logs/tracks the guest’s progress through the facility while interfacing with other interactive systems within the venue. For example, upon receipt of an activation message received from a first game zone, the master system may trigger a digital camera focused on that area, thus capturing a digital image of the player and/or his or her bear. This photo image is electronically time-stamped and stored with identifying UBIN and UKIN for later retrieval. In this manner the SRRF technology allows the master control system to uniquely identify and track bears and people as they interact with various games and activities in a semi-controlled play environment. Theming/Storyline

The present invention may be carried out using a wide variety of suitable themed environments, storylines and characters, as will be readily apparent to those skilled in the art. The following specific example is provided for purposes of illustration and for better understanding of the invention and should not be taken as limiting the invention in any way:

EXAMPLE

In a special spot of the world exists an incredible place made of magic. In the most amazing and enchanting forest lives an amazing wizard who has spent his life making cuddly critters who possess unusual abilities. These critters look like ordinary teddy bears or stuffed animals; cute and cuddly ready to become a child’s best friend. But behind the fluff and stuffing this one-of-kind bear is Magical. Each and every bear was carefully created by this Wizard, has made thousands of unique stuffed creatures with the gift to become magical. However, these creations do not start off with magic powers. Only when the bear and its human mate are brought together the magic is sparked. But even then the bear is not yet able to use all of its magic powers until it is properly taught. It is the responsibility of the human to take the bear on a magic journey through the Enchanted Forest where the magic teachings begin. Then, for days to follow the bear is able to practice its magic powers in all sort of “normal” places. When the training and practice is complete, the bear is given its magic inductions and diploma (a hat, wand, etc., as appropriate) and is able to practice level-one magic. The magic bear’s owner can then choose from a big selection of special clothing, accessories and other magical items to customize their new friend. New and improved magic skills can be learned by the magic bear and its human mate on its next journey to the enchanted forest.

The “MagicMate” is a specially designed stuffed animal that has “smart” ability (RFID tag/transponder), which makes it possible to be tracked and trigger effects throughout a special bear training facility (e.g., retail store, hotel/resort, family entertainment center, etc.). The facility can track and send signals to the bear from the time it is purchased and continuing even after the bear leaves the training facility. To the child/owner the bear is truly magical; making effects happen whenever the bear comes into contact with a magic-

11

bear compatible device. In addition, the bear seems to be magically watched by the Wizard who seems to always know where the bear is and what it is doing.

For example, the bear training center may be located within a family hotel/resort. The experience begins when the guest (or the guests parents) reserve a room at the resort. They are given a special invitation to become a special owner to a magic bear who needs their help to become magical. They are given a basic background of the experience and the story behind Magic Mates. Guests who choose to participate would be assigned a specially designed magic-ready hotel room. Guests can also choose to partake any time they are staying at the resort. Of course, visitors not staying at the hotel may also purchase a magic-mate.

Once guests **410** arrive at the resort they select a time in which they will meet the Wizard **450** at his workshop **425** and finally are joined with their new magical friend **400** (FIGS. **8-9**). When the guest arrives at this The Wizard Workshop **425** they are greeted by a Wizard **450** or two who lead them into the Wizard Workshop where they carefully select their magic mate **400**. The guests are led into the workshop by a masterful Wizard who introduces them to his special creations. The Wizard also tells guests about his magical workshop and how he created these special bears for over 200 years and then helps the guests select their new magic-mate. Guests are asked to sign official adoption papers (initial identification process: name, address, bear name, etc.) and told how to care for their magic bear. The Wizard performs a special trick that “sparks” the bears magic so that it can begin its magic training with its new owner.

After guests choose their mate they are given official adoption papers, name their bear and the “story” (tracking) of the bear begins. They are then led through a hidden door, through a magical tunnel (FIG. **10**) which takes them into the Enchanted Forest **460** where the magic training commences. The Enchanted Forest is an interactive maze of physical and hands on challenges, such as climbing nets **462**, rope bridges **464**, bear elevators **466**, and the like (FIGS. **11-13**). The bear **400** is taken by its owner through a series of magical lessons and fun experiences which will teach the bear and the guest how to use their magic powers. Magic is truly created and the bear **400** is able to set off a series of special effects as well as respond to various signals. Guests work their way through various caves, trees and bridges to different magic stations that help them teach their bear new skills. Each station is outfitted with a reader/writer device that logs and activates an effect after the bear completes a certain skill. For example, the bear’s owner must teach the bear a magic saying. When this magic saying is done in a specific way (hold your bear to the sky and say, “Swish, Swirl, Bluster and Blow, Make the winds gust and grow!”), the bear’s light will glow and powerful winds (high-powered fans) blow at the guests.

Once they make it through the Enchanted Forest they are then taken to a Wizard’s Cove **470** (FIG. **14**) where the Wizard **450** tests the bear’s magic skills and official ceremonies are conducted. If they pass, they will be dubbed by the Wizard to have Level One Magic Powers. This area is actually a small theatre that uses a projected image of the Wizard and special effects. The bear will respond to signals that are integrated into the show. The guest then exits into a WizardWear shop **480** (FIG. **15**) where he or she is able to select from dozens of outfits **482**, accessories **484** and magical items **486**.

Their magic experience doesn’t end once guests exit the attraction area. Actually, the real experience begins. Various

12

areas throughout the resort or equipped to track the bear and trigger events. Guests staying and paying for the Magic Mate Adventure have rooms that are outfitted with receivers that will cause specific events such as turn lights on and off and receive messages through the television. In addition, hallways, point portals (guest does an activity at a computer station and receives points for future redemption prizes), the restaurant and any other area at the resort have hidden receivers which will track the bear everywhere it goes. It will record the guest’s activities as well as trigger effects such as talking pictures, sound and music effects.

Throughout the resort are magic moments in which the bear will either set off a special effect, be asked to conduct a magic trick, take part in a photo opportunity, a story, event, party, game, etc. For example, as the guest walks down a hallway of the resort, pictures magically light up with magical images that address and speak to the bear (FIG. **16**). In addition each of the guests staying at the hotel are given a room that has a special bed, telephone and toiletries for the bear. The room is also equipped and linked to the master system for special wake-up calls and magic tricks (FIGS. **17-18**).

Other areas of the resort cater to the magic bear and the guest. The restaurant would have special seating for bears, a menu and special effects (FIG. **19**). This would hold true for the pool with small lounge chairs for bears, a concierge desk for the bears and daily events for human and bear mates (FIGS. **20-21**).

Overall, a magical story is created by tracking the guest and his or her bear throughout their stay. It will turn their events (their magical journey, when they go to dinner, play in the waterplay area, etc) at the resort into an imaginative story and give them a special book that recorded their memorable experiences. It is possible to include photo capturing or designated specific points as “photo-op” for their storybook. At check out the bear and its owner are presented with a printed photo-scrapbook **490** of their magical experience at the resort (FIG. **22**). Other possibilities for continuing magic include:

- Visits to other facilities to increase magic skills and reach new levels
- Special events and festivals for the bear to attend
- New magic levels the bear must obtain in order for it to reach its fullest potential
- Catalogs with new clothing to purchase
- Magic can also come to the home through telephone calls, Internet, etc.

Although this invention has been disclosed in the context of certain preferred embodiments and examples, it will be understood by those skilled in the art that the present invention extends beyond the specifically disclosed embodiments to other alternative embodiments and/or uses of the invention and obvious modifications and equivalents thereof. Thus, it is intended that the scope of the present invention herein disclosed should not be limited by the particular disclosed embodiments described above, but should be determined only by a fair reading of the claims that follow.

What is claimed is:

1. A stuffed toy having internal memory and wireless capability for storing and wirelessly communicating selected information relevant to a game played by a game

13

participant using said stuffed toy, said stuffed toy comprising:

a toy body comprising a fabric material forming a soft outer skin of said stuffed toy, and a stuffing material filling an interior space contained within said soft outer skin of said stuffed toy;

a passive radiofrequency identification ("RFID") tag disposed within said interior space and supported by a support structure comprising a stiff plastic sheet substrate, said RFID tag and support structure arranged in a manner so as not to expose sharp surfaces that could poke or puncture said soft outer skin;

said RFID tag comprising: i) a processor, ii) a unique identifier configured to uniquely identify said stuffed toy, iii) non-volatile programmable memory configured to store game-relevant information, iv) a transceiver configured to provide two-way wireless communications with a compatible RFID reader device, and v) a spiral-wound antenna electrically coupled to said transceiver and configured to be energized by inductive coupling with said compatible RFID reader device; and wherein said game-relevant information comprises at least: i) a first selection of information comprising one or more in-game powers or skills associated with said stuffed toy, ii) a second selection of information comprising in-game points or levels reached, and iii) a third selection of information comprising a personalized name of said stuffed toy.

2. The stuffed toy of claim 1, wherein said RFID tag is molded or embedded in said plastic sheet substrate.

3. The stuffed toy of claim 1, wherein said RFID tag is affixed or adhered to said toy body.

4. The stuffed toy of claim 1, further comprising an adhesive label adhered to and covering said RFID tag.

5. The stuffed toy of claim 1, further comprising at least one accessory item configured to be selectively worn by, attached to, or assembled with, said stuffed toy, and wherein said at least one accessory item comprises a second passive RFID tag comprising a second unique identifier.

6. The stuffed toy of claim 1, wherein said first selection of information comprises upgradeable powers or skills that are incrementally upgraded by repeated use of said stuffed toy in said game.

7. The stuffed toy of claim 1, wherein said non-volatile programmable memory is configured to store a fourth selection of information comprising a second unique identifier configured to uniquely identify an owner of said stuffed toy.

8. A playmate toy having internal memory and wireless capability for storing and wirelessly communicating selected information relevant to an interactive game played by a game participant, said playmate toy comprising:

a body in the form of a doll, an action figure, or a stuffed character, said body comprising a first material forming an outer skin of said body and a second material filling an interior space contained within said outer skin;

a passive radiofrequency identification ("RFID") tag disposed within said interior space in such a manner that information stored on said RFID tag can be wirelessly ascertained by a compatible RFID reader device via radio waves penetrating said outer skin;

said RFID tag comprising: i) a processor, ii) a unique identifier configured to uniquely identify said playmate toy, iii) non-volatile programmable memory configured to store game-relevant information, iv) a transceiver configured to provide two-way wireless communications with said compatible RFID reader device, and v) a spiral-wound antenna electrically coupled to said

14

transceiver and configured to be energized by inductive coupling with said compatible RFID reader device; and wherein said game-relevant information comprises: i) a first selection of information describing one or more upgradeable powers or skills associated with said playmate toy, ii) a second selection of information describing total points accumulated or levels reached by said playmate toy in said interactive game, and iii) a third selection of information comprising a name of said playmate toy.

9. The playmate toy of claim 8, wherein said RFID tag is supported by a support structure comprising a plastic sheet substrate and wherein said RFID tag and support structure are arranged within said interior space so as not to expose sharp surfaces that could poke or puncture said outer skin.

10. The playmate toy of claim 9, wherein said RFID tag is molded or embedded in said plastic sheet substrate.

11. The playmate toy of claim 8, wherein said one or more upgradeable powers or skills are acquired or enhanced as said game participant uses said playmate toy in said interactive game.

12. The playmate toy of claim 8, wherein said non-volatile programmable memory is configured to store a fourth selection of information comprising a second unique identifier configured to uniquely identify an owner of said playmate toy.

13. The playmate toy of claim 8, further comprising a second passive RFID tag comprising a second unique identifier.

14. A trainable gaming toy having internal memory and wireless communication capability for storing and wirelessly communicating selected information relevant to a game played by a game participant using said trainable gaming toy, said trainable gaming toy comprising:

a body in the form of a doll, an action figure, or a stuffed toy, said body comprising an outer portion and an inner portion contained within said outer portion, and wherein said inner portion comprises an internal cavity; a passive radiofrequency identification ("RFID") tag disposed within said internal cavity, said RFID tag configured so that information stored on said RFID tag can be wirelessly ascertained by a compatible RFID reader device via radio waves penetrating said outer portion of said body;

said RFID tag comprising: i) a processor, ii) a unique identifier configured to uniquely identify said trainable gaming toy, iii) non-volatile programmable memory, iv) a transceiver configured to provide two-way wireless communications with said compatible RFID reader device, and v) an antenna electrically coupled to said transceiver and configured to be energized by inductive coupling with said compatible RFID reader device; and wherein said non-volatile programmable memory is configured to store game-relevant information comprising: i) a first selection of information describing a skill level of said trainable gaming toy that improves with repeated use of said trainable gaming toy in said game, ii) a second selection of information describing a special power of said trainable gaming toy that is acquired when said trainable gaming toy is used in said game, and iii) a third selection of information comprising a personalized name of said trainable gaming toy.

15. The trainable gaming toy of claim 14, wherein said body comprises a stuffed toy comprising a fabric material forming the outer portion of said body, and a stuffing material substantially filling the internal cavity of the inner portion of said body.

15

16. The trainable gaming toy of claim 15, wherein said RFID tag is supported by a support structure comprising a stiff plastic sheet substrate and wherein said RFID tag and said support structure are arranged within said internal cavity so as not to expose sharp surfaces that could poke or puncture said outer portion. 5

17. The trainable gaming toy of claim 14, further comprising a second RFID tag comprising a second unique identifier.

18. The trainable gaming toy of claim 17, wherein said 10 body comprises one or more body parts or appendages comprising one or more hands, feet, head or belly and wherein said second RFID tag is contained within said one or more body parts or appendages.

19. The trainable gaming toy of claim 14, further comprising at least one accessory item configured to be selectively worn by, attached to, or assembled with, said trainable gaming toy, and wherein said at least one accessory item comprises a second passive RFID tag comprising a second unique identifier configured to uniquely identify said at least 15 one accessory item. 20

20. The trainable gaming toy of claim 14, wherein said non-volatile programmable memory is configured to store a fourth selection of information comprising a second unique identifier configured to uniquely identify an owner of said 25 trainable gaming toy.

* * * * *

16